


A frame for all applica- tions.



■ GEBERIT

**KNOW
HOW
INSTALLED**

Strength in every part of the bathroom.



Hidden behind the wall, Geberit's Duofix frame system is the backbone to any modern bathroom, supporting wall-hung WCs, washbasins, bidets and urinal sanitaryware firmly in position.

The frames are simply bolted to the floor and can be placed pre or post wall giving those designing the bathrooms the complete freedom to create a stunning room without expensive structural building work.

Introducing Geberit's slimmest UK cistern

And now, introducing Geberit's slimmest cistern yet in the UK and ideal for even the smallest of bathrooms or cloakrooms. Requiring a depth of just 8cm the Geberit Sigma concealed cistern 8cm is integrated into Geberit's Duofix 1.12m frame guaranteeing a reliable and secure fit for wall hung WCs.

Geberit Duofix. The installers choice.



Leakproof:
A one piece blow moulded tank for a secure water tight seal



Peace of mind:
Geberit offers a 25 year spare parts supply guarantee



Load bearing:
Each WC frame is tested to withstand 400 kg of weight



Time saving:
Quick and easy to install



Tool free maintenance:
Full access to the cistern through the flush plate



Depth adjustable drainage bend:
Flexible positioning



Future Proofing:
Prepared for the demands of tomorrow



Self impeding feet:
Make changing the frame height a one man job

Dedication

Geberit has invested heavily in the bathroom revolution which sees the change from close coupled to wall-hung sanitaryware in the marketplace. See below some of the examples why Geberit is the Installers Choice:

- Dedicated wall-hung sales team
- Installer section on our website with installation videos
- Online catalogue where you can download technical specifications, installation instructions, CAD drawings and more
- Geberit On Tour
- Geberit installer training

For more information about Geberit visit www.geberit.co.uk/installer

Training

Get hands on practical experience with Geberit Duofix frames at our purpose-built training academies in Warwick and Dublin. All training is completely free of charge, with lunch and refreshments provided.

- For more information contact 0800 077 8365
- training.gb@geberit.com

Support

Our UK technical support team are always on hand and ready to help. Whether you require technical assistance with Duofix frames and spares or on a specific project, our dedicated team are here to help you.

- Contact our sanitary technical team on 0800 077 8365
- technical@geberit.co.uk

Spare Parts

Geberit's sanitary systems spare parts are available to order direct for delivery so your customer need not suffer with a toilet out of action! We always do our utmost to ensure your order is shipped for delivery the next day if received before 12pm.

- For spares please call 0800 077 8365
- enquiries@geberit.co.uk

Different projects.

A frame for all installations.

There are millions of Geberit concealed cisterns in use around the world, and that number grows on a daily basis. It is unlikely that there is a construction situation or challenge that this type of cistern cannot resolve.

Product Range



Geberit Duofix frame for wall-hung WC, H112, with Sigma cistern 12cm

111.383.00.5



Geberit Duofix frame for wall-hung WC, H112, with Sigma cistern 8cm

111.729.00.1



Geberit Duofix frame for wall-hung WC, H82, with Kappa cistern 15cm

111.242.00.1



Geberit Duofix frame for wall-hung WC, H79, with concealed cistern for low height furniture, dual flush

111.706.00.1



Good to Know

Geberit Duofix Sigma cistern 12cm

- For areas with no height restriction
- Comes complete with 90° drainage bend and wall brackets
- Tool-free cistern
- Compatible with Geberit AquaClean
- Also available without drainage and system rail wall and floor fixings ideal for use in stud walls 111.384.00.5

Geberit Duofix Sigma cistern 8cm

- Ideal for small bathrooms and cloakrooms where space is at a premium.
- Drainage requires to be straight out the back of the frame into the wall or straight down through the floor with a straight connector to be maximised
- Compatible with Geberit AquaClean when used with 242.413.00.1

Geberit Duofix Kappa Cistern 15cm

- Ideal for areas with height restrictions such as under a window or sloping ceilings
- Provides you with the option of top or front access
- Compatible with Geberit AquaClean when used with 241.819.00.1

Geberit Duofix Furniture cistern 79cm (height)

- For installation in bathroom furniture
- Comes complete with dual flush pneumatic button
- Fits into 500mm wide furniture (inner dimension 465mm)
- Compatible with Geberit AquaClean when used with 242.355.00.1

Flush Plate Options



Sigma01

- Flush technology: dual flush
- Dimensions: 246mm x 164mm



Sigma10

- Flush technology: dual flush infra-red
- Dimensions: 246mm x 164mm



Sigma20

- Flush technology: dual flush
- Dimensions: 246mm x 164mm



Sigma50

- Flush technology: dual flush
- Dimensions: 246mm x 164mm



Sigma60

- Flush technology: dual flush
- Dimensions: 221mm x 139mm




Sigma70

- Flush technology: dual hydraulic servo actuation
- Dimensions: 246mm x 164mm



Kappa20

- Flush technology: dual flush
- Dimensions: 213mm x 142mm



Kappa50

- Flush technology: dual flush
- Dimensions: 211mm x 142mm

Flush Button



WC Flush Control

- Flush technology: dual flush pneumatic actuation
- Dimensions: Ø 80mm

Good to Know

Simplifying installation

To attach Duofix frames quickly and easily to the solid wall Geberit has produced a solution called Geberit system rail. This is simply fixed to the floor and wall with screws and then the Duofix frame's legs slot in and are clamped down using the brackets to provide a secure installation.



*See details of our full range of flush plates, colours and finishes in the Geberit washroom and bathroom product catalogue or at www.geberit.co.uk

Different projects.

A frame for all installations.

Whether it be moving existing connections, changing from floor standing to wall-hung installation or placement in a corner – Geberit products have an answer for every problem. These include height adjustment in the finished bathroom or solutions for disabled bathrooms.

Product Range



Geberit Duofix frame for wall-hung WC, H112, with Sigma cistern 12cm, connection for odour extraction with filtration

111.353.00.5



Geberit Duofix frame for wall-hung WC, H112, with Sigma cistern 12cm, disabled installation

111.352.00.5



Geberit Duofix Special frame for wall-hung WC, H112, with Sigma cistern 12cm, corner installation

111.399.00.5



Good to Know

Geberit Duofix cistern 12cm with odour extraction

- Perfect for cloakrooms and ensembles where there is no natural ventilation
- Removes odours at source
- Easy and familiar Duofix installation
- No connection to room ventilation system required
- Sigma40 flush plate required
- Compatible with Geberit AquaClean

Geberit Duofix cistern 12cm for disabled installation

- For disabled WC installations where grab rails are required
- Adjustable installation height of the WC, 41 - 46cm
- Suitable for WCs with projection of up to 750mm
- Compatible with Geberit AquaClean

Geberit Duofix cistern 12cm for corner installation

- For corner installations
- Wall fixture variable from 30° to 60°
- Compatible with Geberit AquaClean


Flush Plate Options



Sigma40

With integrated odour extraction unit and insert for incistern blocks

- Flush technology: dual flush
- Dimensions: 266mm x 182mm



Sigma01

- Flush technology: dual flush
- Dimensions: 246mm x 164mm



Sigma10

- Flush technology: dual flush
- Dimensions: 246mm x 164mm



Sigma20

- Flush technology: dual flush
- Dimensions: 246mm x 164mm



Sigma50

- Flush technology: dual flush
- Dimensions: 246mm x 164mm



Sigma60

- Flush technology: dual flush
- Dimensions: 221mm x 139mm



Sigma10

- Flush technology: dual flush infra-red
- Dimensions: 247mm x 164mm

*See details of our full range of flush plates, colours and finishes in the Geberit washroom and bathroom product catalogue or at www.geberit.co.uk


Good to Know

Floor connection becomes wall connection


A conversion from a floor-mounted to a wall-hung toilet can be a very expensive endeavour if the current drain is located in the floor. To resolve this problem, Geberit has developed an ultra-flat connecting fitting that enables a ceramic for wall-hung WCs to be connected to an existing floor drain with minimal construction modifications.



↑ Floor connection becomes wall connection



↑ Conventional pipe connection



↑ With Geberit S-bend

Geberit Sales Ltd
Geberit House
Academy Drive
Warwick
Warwickshire
CV34 6QZ

T 0800 077 8365

F 0844 800 6604

Eire +44 (0)1926 516 800

Literature 0800 007 5133

→ www.geberit.co.uk