



## SINK & TAP COLLECTION

MANUFACTURED IN THE UK SINCE 1933



## STAINLESS STEEL

Proline	6
Aqualine	6
Seattle	7
Thinking Sink	7
Luxe	8
Euroline	9
Single Bowl	10
Contour	11
Linear	11
Lexin	14
Contract	16

## FIRE-CLAY CERAMIC

Belfast	17
---------	----

## TAPS, WASTE DISPOSAL & ACCESSORIES

Taps	20
Waste Disposal Units	22
Accessories	22





## MANUFACTURED IN THE UK SINCE 1933


Leisure Sinks is the largest manufacturer of kitchen sinks in the UK. With over 80 years experience and a reputation for excellence, we're able to offer a wide range of high quality sinks and taps for you to choose from. Leisure sinks come in a variety of styles and materials including stainless steel and fire-clay ceramic designs to complement your lifestyle perfectly and are guaranteed to perform.



## QUALITY & AWARDS

To emphasise the importance placed on quality, a number of models in Leisure's stainless steel range have been awarded the BSI Kitemark in recognition of their high specification manufacture and finish. Audited to the highest manufacturing standards, they remain the only sink manufacturer to be awarded this accolade. In addition, all products meet the exacting criteria set out by several international standards, including the ISO 14001, signifying excellent environmental management systems, and ISO 9001, which recognises fully integrated quality management systems.

As a responsible manufacturer and supplier of high-quality domestic sinks, all of our Leisure Sinks carry a CE certification mark and the standard EN 13310, which is the standard in the UK to which our products comply with in order to carry the mark.



## OUR WARRANTY



### STAINLESS STEEL

Made from high grade 18/10 stainless steel with seamless soldering and a rigid frame construction, our steel sinks are heavy duty in construction. For extra scratch resistance, choose between Linen or Brushed Steel finishes. Those seeking a modern high-shine surface can opt for Satin Steel or the even shinier Polished Steel finish.



### FIRE-CLAY CERAMIC

The benefits of buying a ceramic sink can be found in their completely non-porous, stain-proof surface that won't fade or discolour. Perfect for the more traditional home or those looking to coordinate modern white worktops, Leisure's heavyweight fire-clay ceramic sinks are made using high quality raw materials alongside tried and tested manufacturing techniques to achieve perfect results time after time.



### TAPS

Combining style, quality and engineering excellence, Leisure Sinks offers a vast selection of taps for you to choose from, with styles ranging from 'über' cool to the perfectly practical there's sure to be a design to match your choice of sink.

# aquanomic

## AQUANOMIC TAPS

With an eye to the future, Leisure Sinks have developed a range of kitchen taps under the Aquanomic brand. These taps are approved to meet the latest water saving requirements set out by the government in Part G of the Building Regulations.

In addition to the amendments to Part G of the building regulations, BRE (Building Research Establishment) have created the new Home Quality Mark which will rate new build houses from 1-5 stars depending on the efficiency of all components. Aquanomic taps are fitted with a flow restrictor which will contribute to compliance of the highest level within the water category of the new initiative by restricting the flow rate to 3.8l per minute per tap.




## PROLINE



### PL9852\_/\_

#### Specifications:

Drainer Position	L or R Handed Specify at point of order	Material	18/10 Stainless Steel
No. of Bowls	1.5	Gauge	0.9
Min Base Unit (mm)	600	Finish	Polished
Overall Size (mm)	985 x 508	Waste Kit	Included WKIT23/
Main Bowl Size (mm)	350 x 420 x 190	Tap Hole Size $\phi$	1 x 35mm
Second Bowl Size (mm)	156 x 342 x 120	Warranty (Years)	10
		Accessories Available	KA12, KA28 (see page 22)




## AQUALINE



### AQ9851/

#### Specifications:


Drainer Position	Reversible	Gauge	0.8
No. of Bowls	1	Finish	Polished
Min Base Unit (mm)	500	Waste Kit	WKIT09/
Overall Size (mm)	985 x 508	Tap Hole Size $\phi$	1 x 35mm
Main Bowl Size (mm)	350 x 420 x 160	Warranty (Years)	10
Second Bowl Size	-	Accessories Available	KA12 (see page 22)
Material	18/10 Stainless Steel		



### AQ9852/

#### Specifications:

Drainer Position	Reversible	Gauge	0.8
No. of Bowls	1.5	Finish	Polished
Min Base Unit (mm)	600	Waste Kit	WKIT04/
Overall Size (mm)	985 x 508	Tap Hole Size $\phi$	1 x 35mm
Main Bowl Size (mm)	350 x 420 x 160	Warranty (Years)	10
Second Bowl Size (mm)	156 x 300 x 117	Accessories Available	KA12, KA17 (see page 22)
Material	18/10 Stainless Steel		




## SEATTLE



### SE9501/

#### Specifications:


Drainer Position	Reversible	Gauge	0.7
No. of Bowls	1	Finish	Polished
Min Base Unit (mm)	500	Waste Kit	WKIT09/
Overall Size (mm)	950 x 508	Tap Hole Size $\phi$	1 x 35mm
Main Bowl Size (mm)	360 x 424 x 155	Warranty (Years)	10
Second Bowl Size	-	Accessories Available	KA12 (see page 22)
Material	18/10 Stainless Steel		



### SE9502/

#### Specifications:

Drainer Position	Reversible	Gauge	0.7
No. of Bowls	1.5	Finish	Polished
Min Base Unit (mm)	600	Waste Kit	WKIT04/
Overall Size (mm)	950 x 508	Tap Hole Size $\phi$	1 x 35mm
Main Bowl Size (mm)	360 x 424 x 155	Warranty (Years)	10
Second Bowl Size (mm)	156 x 300 x 125	Accessories Available	KA12, KA26 (see page 22)
Material	18/10 Stainless Steel		




## THINKING SINK



### TS9855/

#### Specifications:

Drainer Position	Reversible	Gauge	0.9
No. of Bowls	1.5	Finish	Polished
Min Base Unit (mm)	600	Waste Kit	WKIT18/ or WKIT04/
Overall Size (mm)	985 x 508	Tap Hole Size $\phi$	1 x 35mm
Main Bowl Size (mm)	355 x 380 x 165	Warranty (Years)	10
Second Bowl Size (mm)	156 x 300 x 125	Accessories Available	KA02, KA26 (see page 22)
Material	18/10 Stainless Steel		






## LUXE



### LX105\_/

#### Specifications:

Drainer Position	L or R Handed Specify at point of order
No. of Bowls	1
Min Base Unit (mm)	500
Overall Size (mm)	1000 x 508
Main Bowl Size (mm)	420 x 350 x 190
Second Bowl Size	-




Material	18/10 Stainless Steel
Gauge	0.9
Finish	Polished
Waste Kit (Included)	WKIT09/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



### LX155/

#### Specifications:

Drainer Position	-
No. of Bowls	1
Min Base Unit (mm)	500
Overall Size (mm)	1500 x 508
Main Bowl Size (mm)	420 x 350 x 190
Second Bowl Size	-
Material	18/10 Stainless Steel




Gauge	0.9
Finish	Polished
Waste Kit (Included)	WKIT09/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



### LX155\_/

#### Specifications:

Drainer Position	L or R Handed Specify at point of order
No. of Bowls	2
Min Base Unit (mm)	1000
Overall Size (mm)	1500 x 508
Main Bowl Size (mm)	420 x 400 x 190
Second Bowl Size (mm)	420 x 350 x 190




Material	18/10 Stainless Steel
Gauge	0.9
Finish	Polished
Waste Kit (Included)	2 x WKIT09/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



### LX84/

#### Specifications:

Drainer Position	-
No. of Bowls	2
Min Base Unit (mm)	1000
Overall Size (mm)	2120 x 460
Main Bowl Size (mm)	420 x 350 x 190
Second Bowl Size (mm)	420 x 350 x 190
Material	18/10 Stainless Steel



Gauge	0.9
Finish	Polished
Waste Kit (Included)	2 x WKIT09/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)


## EUROLINE



### EL650/

#### Specifications:

Drainer Position	-
No. of Bowls	1.5
Min Base Unit (mm)	600
Overall Size (mm)	647 x 508
Main Bowl Size (mm)	340 x 424 x 155
Second Bowl Size (mm)	156 x 300 x 125
Material	18/10 Stainless Steel




Gauge	0.7
Finish	Polished
Waste Kit	WKIT04/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12, KA26 (see page 22)



### EL860/

#### Specifications:

Drainer Position	Reversible
No. of Bowls	1
Min Base Unit (mm)	450
Overall Size (mm)	860 x 435
Main Bowl Size (mm)	376 x 351 x 140
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel




Gauge	0.6
Finish	Polished, Linen or Satin Bowl Specify at point of order
Waste Kit	WKIT07/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA02 (see page 22)



### EL860DB/

#### Specifications:

Drainer Position	-
No. of Bowls	2
Min Base Unit (mm)	900
Overall Size (mm)	860 x 435
Main Bowl Size (mm)	362 x 351 x 140
Second Bowl Size (mm)	362 x 351 x 140
Material	18/10 Stainless Steel




Gauge	0.8
Finish	Polished
Waste Kit	2 x WKIT07/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



### EL9501/

#### Specifications:

Drainer Position	Reversible
No. of Bowls	1
Min Base Unit (mm)	450
Overall Size (mm)	950 x 508
Main Bowl Size (mm)	340 x 424 x 150
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel



Gauge	0.7
Finish	Polished or Satin Bowl Specify at point of order
Waste Kit	WKIT09/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)


## EUROLINE



### EL9502/

#### Specifications:

Drainer Position	Reversible
No. of Bowls	1.5
Min Base Unit (mm)	600
Overall Size (mm)	950 x 508
Main Bowl Size (mm)	340 x 424 x 150
Second Bowl Size (mm)	156 x 300 x 125
Material	18/10 Stainless Steel



Gauge	0.7
Finish	Satin Bowl, Bright Drainer
Waste Kit	WKIT04/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12, KA26 (see page 22)


## SINGLE BOWL / SINGLE DRAINER



### BSS40/

#### Specifications:

Drainer Position	-
No. of Bowls	1
Min Base Unit (mm)	500
Overall Size (mm)	432 x 452
Main Bowl Size (mm)	420 x 400 x 190
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel




Gauge	0.8
Finish	Polished
Waste Kit (Included)	WKIT09/
Tap Hole Size ø	-
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



### RB440BF/

#### Specifications:

Drainer Position	-
No. of Bowls	1
Min Base Unit (mm)	500
Overall Size (mm)	440ø
Main Bowl Size (mm)	380ø
Second Bowl Size (mm)	-




Material	18/10 Stainless Steel
Gauge	0.6
Finish	Brushed
Waste Kit (Included)	-
Tap Hole Size ø	-
Warranty (Years)	10



### RD440BF/

#### Specifications:

Drainer Position	-
No. of Bowls	1
Min Base Unit (mm)	500
Overall Size (mm)	440ø
Main Bowl Size (mm)	380ø
Second Bowl Size (mm)	-




Material	18/10 Stainless Steel
Gauge	0.6
Finish	Brushed
Waste Kit (Included)	-
Tap Hole Size ø	-
Warranty (Years)	10



### BSS1/

#### Specifications:

Drainer Position	-
No. of Bowls	1
Min Base Unit (mm)	600
Overall Size (mm)	508 x 419
Main Bowl Size (mm)	470 x 380 x 195
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel



Gauge	0.9
Finish	Polished
Waste Kit (Included)	WKIT09/
Tap Hole Size ø	-
Warranty (Years)	10
Accessories Available	KA12 (see page 22)


## CONTOUR



### CN950/

#### Specifications:

Drainer Position	Reversible
No. of Bowls	1
Min Base Unit (mm)	600
Overall Size (mm)	950 x 508
Main Bowl Size (mm)	420 x 400 x 180
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel



Gauge	0.9
Finish	Soft Brushed Polished
Waste Kit	WKIT09/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)


## LINEAR



### LR460/

#### Specifications:

Drainer Position	-
No. of Bowls	1
Min Base Unit (mm)	500
Overall Size (mm)	463 x 471
Main Bowl Size (mm)	393 x 334 x 170
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel




Gauge	0.6
Finish	Satin
Waste Kit (Included)	WKIT09/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



### LR8001/

#### Specifications:

Drainer Position	Reversible
No. of Bowls	1
Min Base Unit (mm)	450
Overall Size (mm)	800 x 508
Main Bowl Size (mm)	340 x 424 x 150
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel




Gauge	0.7
Finish	Satin Bowl, Bright Drainer
Waste Kit	WKIT09/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)

# LINEAR



## LN950/



### Specifications:

Drainer Position	Reversible
No. of Bowls	1
Min Base Unit (mm)	500
Overall Size (mm)	950 x 508
Main Bowl Size (mm)	420 x 350 x 180
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel

Gauge	0.9
Finish	Satin Bowl, Bright Drainer
Waste Kit	WKIT05/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)




## LR9501/

Also available with a reduced waste kit - LR950/

### Specifications:

Drainer Position	Reversible
No. of Bowls	1
Min Base Unit (mm)	500
Overall Size (mm)	950 x 508
Main Bowl Size (mm)	420 x 350 x 160
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel




Gauge	0.6
Finish	Satin Bowl, Bright Drainer
Waste Kit	WKIT09/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



## LR9501XS/

### Specifications:


Drainer Position	Reversible
No. of Bowls	1
Min Base Unit (mm)	600
Overall Size (mm)	950 x 508
Main Bowl Size (mm)	420 x 400 x 160
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel



Gauge	0.7
Finish	Satin Bowl, Bright Drainer
Waste Kit	WKIT09/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



## LN950XS/




### Specifications:

Drainer Position	Reversible
No. of Bowls	1
Min Base Unit (mm)	600
Overall Size (mm)	950 x 508
Main Bowl Size (mm)	420 x 400 x 180
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel

Gauge	0.9
Finish	Satin Bowl, Bright Drainer
Waste Kit	WKIT05/ or WKIT17/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



## LN9501XSPOL/




### Specifications:

Drainer Position	Reversible
No. of Bowls	1
Min. Base Unit (mm)	600
Overall Size (mm)	950 x 508
Main Bowl Size (mm)	420 x 400 x 180
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel

Gauge	0.9
Finish	Polished
Waste Kit (Included)	
Tap Hole Size	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



## LR9502/



### Specifications:

Drainer Position	Reversible
No. of Bowls	1.5
Min Base Unit (mm)	600
Overall Size (mm)	950 x 508
Main Bowl Size (mm)	340 x 410 x 160
Second Bowl Size (mm)	175 x 320 x 80
Material	18/10 Stainless Steel


Gauge	0.7
Finish	Satin Bowl, Bright Drainer
Waste Kit	WKIT04/
Tap Hole Size ø	1 x 35mm
Warranty (Years)	10
Accessories Available	KA12 (see page 22)



## LR1160/

### Specifications:

Drainer Position	-
No. of Bowls	1
Min Base Unit (mm)	500
Overall Size (mm)	1160 x 508
Main Bowl Size (mm)	380 x 355 x 165
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel




Gauge	0.9
Finish	Polished
Waste Kit	WKIT09/
Tap Hole Size ø	2 x 35mm
Warranty (Years)	10
Accessories Available	KA12, KA02 (see page 22)



## LR116052/NC

### Specifications:

Drainer Position	-
No. of Bowls	1
Min Base Unit (mm)	500
Overall Size (mm)	1160 x 508
Main Bowl Size (mm)	380 x 355 x 165
Second Bowl Size (mm)	-
Material	18/10 Stainless Steel



Gauge	0.9
Finish	Satin Bowl, Bright Drainer
Waste Kit	WKIT05/ or WKIT17/
Tap Hole Size ø	2 x 31mm
Warranty (Years)	10
Accessories Available	KA12, KA02 (see page 22)




## LINEAR



### LR1160DB/

#### Specifications:


Drainer Position	Reversible	Gauge	0.9
No. of Bowls	2	Finish	Polished
Min Base Unit (mm)	800	Waste Kit	WKIT03/
Overall Size (mm)	1160 x 508	Tap Hole Size $\varnothing$	1 x 35mm
Main Bowl Size (mm)	380 x 355 x 165	Warranty (Years)	10
Second Bowl Size (mm)	380 x 355 x 165	Accessories Available	KA12, KA02 (see page 22)
Material	18/10 Stainless Steel		



### LR11601TH/

#### Specifications:


Drainer Position	-	Gauge	0.9
No. of Bowls	1	Finish	Polished
Min Base Unit (mm)	500	Waste Kit	WKIT09/
Overall Size (mm)	1160 x 508	Tap Hole Size $\varnothing$	1 x 35mm
Main Bowl Size (mm)	380 x 355 x 165	Warranty (Years)	10
Second Bowl Size (mm)	-	Accessories Available	KA12, KA02 (see page 22)
Material	18/10 Stainless Steel		



### LR1160XL/

#### Specifications:

Drainer Position	Reversible	Gauge	0.9
No. of Bowls	2	Finish	Satin Bowl, Bright Drainer
Min Base Unit (mm)	800	Waste Kit	WKIT03/
Overall Size (mm)	1160 x 508	Tap Hole Size $\varnothing$	1 x 35mm
Main Bowl Size (mm)	420 x 400 x 165	Warranty (Years)	10
Second Bowl Size (mm)	420 x 270 x 165	Accessories Available	KA12 (see page 22)
Material	18/10 Stainless Steel		




## LEXIN



### LN95\_/

#### Specifications:


Drainer Position	L or R Handed Specify at point of order	Gauge	0.9
No. of Bowls	1	Finish	Satin Bowl, Bright Drainer
Min Base Unit (mm)	500	Waste Kit	WKIT05/ or WKIT17/
Overall Size (mm)	950 x 508	Tap Hole Size $\varnothing$	2 x 31mm
Main Bowl Size (mm)	420 x 350 x 180	Warranty (Years)	10
Second Bowl Size (mm)	-	Accessories Available	KA02 (see page 22)
Material	18/10 Stainless Steel		



### LE95\_/

#### Specifications:


Drainer Position	L or R Handed Specify at point of order	Gauge	0.6
No. of Bowls	1	Finish	Satin Bowl, Bright Drainer
Min Base Unit (mm)	500	Waste Kit	WKIT05/ or WKIT17/
Overall Size (mm)	950 x 508	Tap Hole Size $\varnothing$	2 x 31mm
Main Bowl Size (mm)	420 x 350 x 160	Warranty (Years)	10
Second Bowl Size (mm)	-	Accessories Available	KA02 (see page 22)
Material	18/10 Stainless Steel		



### LE95\_SB/

#### Specifications:

Drainer Position	L or R Handed Specify at point of order	Gauge	0.6
No. of Bowls	1	Finish	Satin Bowl, Bright Drainer
Min Base Unit (mm)	500	Waste Kit	WKIT05/ or WKIT17/
Overall Size (mm)	950 x 508	Tap Hole Size $\varnothing$	2 x 31mm
Main Bowl Size (mm)	420 x 350 x 120	Warranty (Years)	10
Second Bowl Size (mm)	-	Accessories Available	KA02 (see page 22)
Material	18/10 Stainless Steel		




### LN95/



#### Specifications:


Drainer Position	Reversible	Gauge	0.9
No. of Bowls	1	Finish	Satin Bowl, Bright Drainer
Min Base Unit (mm)	500	Waste Kit	WKIT05/ or WKIT17/
Overall Size (mm)	950 x 508	Tap Hole Size $\varnothing$	1 x 35mm
Main Bowl Size (mm)	420 x 350 x 180	Warranty (Years)	10
Second Bowl Size (mm)	-	Accessories Available	KA02 (see page 22)
Material	18/10 Stainless Steel		



### LE95/

#### Specifications:

Drainer Position	Reversible	Gauge	0.6
No. of Bowls	1	Finish	Satin Bowl, Bright Drainer
Min Base Unit (mm)	500	Waste Kit	WKIT05/ or WKIT17/
Overall Size (mm)	950 x 508	Tap Hole Size $\varnothing$	1 x 35mm
Main Bowl Size (mm)	420 x 350 x 160	Warranty (Years)	10
Second Bowl Size (mm)	-	Accessories Available	KA02 (see page 22)
Material	18/10 Stainless Steel		






## LEXIN



### LE95SB/

#### Specifications:

Drainer Position	Reversible	Gauge	0.6
No. of Bowls	1	Finish	Satin Bowl, Bright Drainer
Min Base Unit	500	Waste Kit	WKIT05/ or WKIT07/
Overall Size (mm)	950 x 508	Tap Hole Size $\phi$	1 x 35mm
Main Bowl Size (mm)	420 x 350 x 120	Warranty (Years)	10
Second Bowl Size (mm)	-	Accessories Available	KA12 (see page 22)
Material	18/10 Stainless Steel		




## BELFAST



### CBL595WH/

#### Specifications:

Drainer Position	-	Material	Ceramic
No. of Bowls	1	Waste Kit	WKIT15/
Min Base Unit	600	Tap Hole Size $\phi$	-
Overall Size (mm)	595 x 475	Warranty (Years)	10
Main Bowl Size (mm)	555 x 435 x 205		
Second Bowl Size (mm)	-		




## CONTRACT SINKS



### LC105\_/

#### Specifications:


Square or roll front		Gauge	0.6
Drainer Position	L or R Handed Specify at point of order	Material	18/10 Stainless Steel
No. of Bowls	1	Finish	Satin Bowl, Bright Drainer
Min Base Unit (mm)	1000	Waste Kit	WKIT05/ or WKIT17/
Overall Size (mm)	1000 x 500	Tap Hole Size $\phi$	2 x 31mm
Main Bowl Size (mm)	420 x 350 x 160	Warranty (Years)	10
Second Bowl Size (mm)	-	Accessories Available	KA12 (see page 22)



### LC106\_/

#### Specifications:

Square or roll front		Gauge	0.6
Drainer Position	L or R Handed Specify at point of order	Material	18/10 Stainless Steel
No. of Bowls	1	Finish	Satin Bowl, Bright Drainer
Min Base Unit (mm)	1000	Waste Kit	WKIT05/ or WKIT17/
Overall Size (mm)	1000 x 600	Tap Hole Size $\phi$	2 x 31mm
Main Bowl Size (mm)	420 x 400 x 160	Warranty (Years)	10
Second Bowl Size (mm)	-	Accessories Available	KA12 (see page 22)



# TAP CENTRES

Leisure has created a Tap Centre solution to ensure ordering product is kept as simple as possible, providing you with a sink, tap and waste kit together in one box for your convenience.

**SEATTLE  
SE9501POL/**

+ TAM1CM/  ORDER CODE: SE9501POL/TCAM1	+ TAD2CM/  ORDER CODE: SE9501POL/TCAD2	+ TVR1CM/  ORDER CODE: SE9501POL/TCVR1	+ TAF3CM/  ORDER CODE: SE9501POL/TCAF3
--	--	---	--

**SEATTLE  
SE9502POL/**

+ TAD2CM/  ORDER CODE: SE9502POL/TCAD2	+ TVR1CM/  ORDER CODE: SE9502POL/TCVR1	+ TAF3CM/  ORDER CODE: SE9502POL/TCAF3
---	---	--

**EUROLINE  
EL9501/  
EL9501NC/**

+ TAM1CM/  ORDER CODE: EL9501/TCAM1	+ TAD2CM/  ORDER CODE: EL9501NC/TCAD2	+ TAD4CM/-AN  ORDER CODE: EL9501/TCAD4-AN
---	---	--

**EUROLINE  
EL9502/  
EL9502NC/**

+ TAM1CM/  ORDER CODE: EL9502/TCAM1	+ TAD2CM/  ORDER CODE: EL9502NC/TCAD2	+ TAD4CM/-AN  ORDER CODE: EL9502/TCAD4-AN
---	---	--

**LINEAR  
LR950/**

+ TAM1CM/  ORDER CODE: LR950/TCAM1	+ TAD2CM/  ORDER CODE: LR950/TCAD2	+ TAD4CM/-AN  ORDER CODE: LR950/TCAD4-AN	+ TAF1CM/-AN  ORDER CODE: LR950/TCAF1-AN	+ TAF3CM/  ORDER CODE: LR950/TCAF3	+ TAF35CM/  ORDER CODE: LR950/TCAF35
--	--	--	--	--	--

**LINEAR  
LR9501/**

+ TAM1CM/  ORDER CODE: LR9501/TCAM1	+ TAD2CM/  ORDER CODE: LR9501/TCAD2	+ TAD4CM/-AN  ORDER CODE: LR9501/TCAD4-AN	+ TAF1CM/-AN  ORDER CODE: LR9501/TCAF1-AN	+ TAF3CM/  ORDER CODE: LR9501/TCAF3	+ TAF35CM/  ORDER CODE: LR9501/TCAF35
---	---	---	---	---	---

**LINEAR  
LR9502/**

+ TAM1CM/  ORDER CODE: LR9502/TCAM1	+ TAD2CM/  ORDER CODE: LR9501/TCAD2	+ TAD4CM/-AN  ORDER CODE: LR9502TCAD4-AN	+ TAF1CM/-AN  ORDER CODE: LR9502/TCAF1-AN	+ TAF3CM/  ORDER CODE: LR9502/TCAF3	+ TAF35CM/  ORDER CODE: LR9502/TCAF35
---	---	--	---	---	---

**LINEAR  
LR9501XS/**

+ TAM1CM/  ORDER CODE: LR9501XS/TCAM1	+ TAF3CM/  ORDER CODE: LR9501XS/TCAF3
---	---

**LEXIN  
HANDED  
LE95\_/**

+ TPT1CM/  ORDER CODE: LE95_/PTC
--

**LEXIN  
LE95/**

+ TAF35CM/  ORDER CODE: LE95/TCAF35
---

# TAPS



aquanomic  
WRAS



**AQUANOMIC  
AQUAFLOW 1  
TAF1CM/ -AN**

Available in: Chrome  
Minimum pressure: 1.0 bar  
Maximum pressure: 4.0 bar

aquanomic  
WRAS



**AQUANOMIC  
AQUADISC 4  
TAD4CM/ -AN**

Available in: Chrome  
Minimum pressure: 1.0 bar  
Maximum pressure: 4.0 bar

aquanomic  
WRAS



**AQUANOMIC  
MONORISE  
TMR1CM/ -AN**

Available in: Chrome  
Minimum pressure: 1.0 bar  
Maximum pressure: 4.0 bar

WRAS



**SPA FILTER TAP -  
TRADITIONAL  
TSA1CM/**

Available in: Chrome  
Minimum pressure: 0.3 bar  
Maximum pressure: 5.5 bar

WRAS



**AQUAMIX  
TAM1CM/**

Available in: Chrome  
Minimum pressure: 0.2 bar  
Maximum pressure: 5.5 bar

WRAS



**AQUAFLUX  
TFL1CM/**

Available in: Chrome  
Minimum pressure: 0.3 bar  
Maximum pressure: 5.5 bar

WRAS



**AQUACLASSIC 1  
TAC1CM/**

Available in: Chrome  
Minimum pressure: 0.3 bar  
Maximum pressure: 5.5 bar

WRAS



**AQUAFLOW 3  
TAF3CM/**

Available in: Chrome  
Minimum pressure: 0.3 bar  
Maximum pressure: 5.5 bar

WRAS



**AQUAFLOW 5  
TAF5LLCM/**

Available in: Chrome  
Minimum pressure: 0.2 bar  
Maximum pressure: 5.5 bar

WRAS



**AQUADISC 2  
TAD2\_ \_/**

Available in: Chrome (CM) or  
Brushed (BF)  
Minimum pressure: 0.2 bar  
Maximum pressure: 5.5 bar

WRAS



**AQUAERVE  
TVR1CM/**

Available in: Chrome  
Minimum pressure: 0.2 bar  
Maximum pressure: 5.5 bar

WRAS



**PILLAR LEVER  
TPT1CM/LV**

Available in: Chrome  
Minimum pressure: 0.1 bar  
Maximum pressure: 5.5 bar

WRAS



**AQUAFLOW 35  
TAF35CM/**

Available in: Chrome  
Minimum pressure: 0.5 bar  
Maximum pressure: 5.5 bar

WRAS



**AQUAREACH 1  
TAR1CM/**

Available in: Chrome  
Minimum pressure: 0.5 bar  
Maximum pressure: 5.5 bar

WRAS



**AQUACURVE  
TCR1CM/**

Available in: Chrome  
Minimum pressure: 0.3 bar  
Maximum pressure: 5.5 bar

WRAS



**PILLAR  
TPT1CM/**

Available in: Chrome  
Minimum pressure: 0.1 bar  
Maximum pressure: 5.5 bar

WRAS



**SOAP DISPENSER  
SOAPDISCM/**

Available in: Chrome



## WASTE DISPOSAL UNITS

Our range of waste disposers are clean, hygienic and easy to use. All units have a lifetime corrosion guarantee and contain Bio Shield, where disposers are treated with an antimicrobial agent moulded inside providing protection against odour causing bacteria growth. Available in two different sizes each model is easy and fast to install and can be fitted with only a standard mains connection. Using a waste disposal unit helps cut down household waste and reduces the amount of rubbish that ends up in landfill sites.




**CONTINUOUS FEED 750**  
WDU750/



**HEAVY DUTY 800**  
WDU800/

## ACCESSORIES



**DRAINING BASKET**  
KA02/

Available in: White



**DRAINING BASKET**  
KA12/

Available in: Stainless Steel



**STRAINER BOWL**  
KA17/

Available in: Stainless Steel



**STRAINER BOWL**  
KA26/

Available in: Stainless Steel



**STRAINER BOWL**  
KA28/

Available in: Stainless Steel



FILTERED

HOT

COLD

## WATER. EVOLVED

- Consistent 98° hot with no gushing or spitting
- Dual filtered cold
- Child safe Hotfob™
- Anti-scale boiler technology
- 0.5 bar operating pressure



98°



supplied with  
Child Safe  
Hotfob™

Rangemaster's latest addition is GEO; An evolution in 4-in-1 taps delivering domestic hot and cold, filtered cold and 98° hot.

Smart, efficient and safe; GEO offers safe dispensing of 98° water with its child-safe key fob system, smart anti-scale technology for hassle free maintenance and efficiently delivers over 100 cups of perfectly filtered 98° water an hour.

[geo-taps.co.uk](http://geo-taps.co.uk)

**RANGEmaster**  
Sinks & Taps



Meadow Lane  
Long Eaton  
Nottingham  
NG10 2GD  
England

**Trade Enquiries**

+44 (0)115 946 4000  
tradesales@agarangemaster.co.uk

**Consumer Enquiries**

+44 (0)800 804 6261 / 0370 789 5107 (from a mobile)  
consumers@agarangemaster.co.uk

**leisuresinks.co.uk**

Copyright AGA Rangemaster Ltd 2017. Leisure Sinks is a trading name of AGA Rangemaster Ltd.  
Registered in England & Wales under registered number 3872754.

Registered office: Meadow Lane, Long Eaton, Nottingham, NG10 2GD.

Brand names, words and logo are registered trademarks of AGA Rangemaster Ltd.



07/17 LSRB

Leisure Sinks continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to-date literature, this brochure should not be regarded as an infallible guide to current specification, nor does it constitute an offer for the sale of any particular product.