

# Offina The Smarter Choice™

Appliances | Sinks | Taps



# prima

The Smarter Choice™



## **PRACTICAL**

Prima appliances are designed for your everyday needs, and to be easy every time you use them.

Whether it is an oven, a microwave, or a washer dryer, most of us will use a small number of programmes most of the time and so our appliances make it really easy to use these programmes and to get great results every time.

For those who want to be a little more adventurous our new feature rich Prima + ovens have additional programmes and settings to let you experiment.

#### For all your everyday needs

## **EFFICIENT**

All Prima+ appliances have an A to A+++ energy rating which means that they are better for the environment and also much cheaper to run.

**FREE 5 YEAR GUARANTEE** (5 YR PARTS/2 YR LABOUR)

With our parts & labour guarantee — which can be extended to 2 years (labour) & 5 years (for parts) FREE if you register your product you can have the peace of mind that a Prima appliance will give you easy and reliable everyday use for years to come.





## **RANGE**

The Prima range has everything you need to complete your kitchen, from self cleaning ovens to the kitchen sink.

Whether you prefer a gas hob or the newer induction hob (which can boil a pan of water in under a minute) or if you prefer double ovens to single ovens, with dials or a digital touchscreen; or even if you prefer a 70/30 split fridge freezer to a 50/50 split; our Prima range has a great product to match your preferences.

















## **VALUE**

Prima products are specifically built to combine great features and looks at a price that suits every budget.

Our Prima + products have added functions and style features that make them the ideal alternative to more expensive brands but at a much lower price adding to the value of buying Prima.

High spec products at a much lower price





## **GUARANTEE**

We're so confident in the quality and build of our Prima products that we offer a FREE extended 5 year parts & 2 year labour guarantee as standard on all our products, if you register your product with us within 30 days of purchase.

To register for your extended guarantee please visit www.Prima-Appliances.uk/Guarantee


So with virtually no risk with our extended guarantee, and with such good quality products at highly attractive prices, isn't it time you bought Prima?

### 5 FREE years of complete peace of mind

**FREE 5 YEAR GUARANTEE** 

(5 YR PARTS/2 YR LABOUR)

With our parts & labour guarantee — which can be extended to 2 years (labour) & 5 years (for parts) FREE if you register your product you can have the peace of mind that a Prima appliance will give you easy and reliable everyday use for years to come.



## PRIMA+

Our range of Prima+ products have features and functions usually associated with more expensive brands, but with Prima+ we focus on providing the everyday functions and settings that you will need most of the time.

By avoiding adding extra features that will largely go unused and by offering a more defined range centred around your daily use we can provide you with a product that competes with more expensive brands on achieving great results at a fraction of the price.

And when you factor in our 5 year parts guarantee and 2 years labour, the whole life value of a Prima+ product is hard to beat.

## Adding more value for your money





# BUILT-IN OVENS

Our range of Prima ovens provides different options to suit your tastes and needs. So if you prefer touchscreen or dials, single or double ovens, with more or fewer features, we have an oven that's right for you.

All of our range are built-in or built-under to fit neat and flush in your fitted kitchen and look great whatever your kitchen style.

A range of optional add-ons such as telescopic rails and complementary products such as our warming drawer, microwaves or hob ranges give you more great ways of achieving a high-end look and finish all at a very attractive price.

Cook, bake or roast your way

## **FUNCTION GUIDE**

#### Key to function icons for ovens



#### **ENERGY RATING**

All our single oven come with a A rating, all our double ovens come with an A rating upper cavity and a A rating lower cavity.



#### CONVENTIONAL COOKING

Combines top & bottom heating.



#### **BOTTOM HEATING COOKING**

Bottom heating only.



#### CONVECTIONAL COOKING WITH FAN ASSISTANCE

Combines top & bottom heating with fan assistance.



#### **FAN WITH LOWER HEAT**

Combines bottom heating with fan assistance.



#### PYROLYTIC CLEANING OVEN

An automatic cleaning function which means no detergents need to be used in the oven cavity. The inside of the oven is heated and reaches 480° at which point any grease stuck to the walls is simply burnt off. You can then wipe with a damp cloth.



#### **CAPACITY**

Oven capacity (litres).



#### **GRILLS**

Single/single variable/dual variable. Ovens come with a number of different grill models, see individual product page for the type of grill fitted.



#### **GRILL AND FAN**

Combination of grill and fan assisted.



#### **ECO GRILL**

Energy saving option.



#### **CIRCA FAN COOKING**

Our ovens come with a fan behind the back wall of the oven forces air through heating elements, food is cooked quicker and evenly in all parts of the oven.



#### **CIRCA FAN COOKING** WITH LOWER HEAT

Adds the lower heat element to the circa fan



#### **ELECTRONIC** PROGRAMMER/DISPLAY

Electronic clock with digital timer.



#### MINUTE MINDER

Mechanical Timer.



#### **DEFROST FUNCTION**

Oven fan assists defrost by circulating air around food.



#### **MICROWAVE**

Cooking with microwave function.



#### 13AMP SUPPLY

Can operate from a 13amp supply.



#### DIGITAL **TEMPERATURE DISPLAY**

Gives accurate oven temperature reading even when warming up.



All Prima+ single and double ovens utilise their larger capacity with 2 shelves, 1 grill pan and 1 trivet as standard

All ovens come with a grill pan handle as standard. For technical specification and features please see page 56.

### Single Electric Ovens

# PRIMA+ BUILT-IN SINGLE ELECTRIC FAN OVEN

PRSO106





- → 76 Litre capacity
- → White LED touch control digital display
- Removable glass for easy door cleaning
- Quick-remove door for easy cleaning
- Removable side racks for easy cleaning
- Telescopic rails (optional extra)
- Energy Rating A
- Dimensions: H 595 x W 595 x D 571mm
- Works on 13A supply
- 7 Cooking functions:
   Top heat & bottom heat, fan & half grill, full grill, lower heat, fan & circular heater, fan with top & bottom heat, fan only
- 5 Year parts & 2 year labour

# PRIMA+ BUILT-IN SINGLE ELECTRIC FAN OVEN PRSO108





- 16 To Litre capacity
- Full touch control white LED display
- Live digital temperature reading
- Removable glass for easy door cleaning
- Quick-remove door for easy cleaning
- Removable side racks for easy cleaning
- Telescopic rails (optional extra)
- Energy Rating A
- Dimensions: H 595 x W 595 x D 571mm
- Works on 13A supply
- 10 Cooking functions: Top & bottom heat, fan & full grill, full grill, bottom heat, eco grill, fan & circular heater, fan plus circular heater & bottom heater, fan & bottom heat, fan with top & bottom heat, fan only
- 5 Year parts & 2 year labour

# PRIMA+ BUILT-IN SINGLE ELECTRIC PYROLYTIC FAN OVEN

PRSO110





- ♣ 76 Litre capacity
- Full touch control white LED display
- ♣ Live digital temperature reading
- Quadruple glazed to retain heat
- Quick-remove door for easy cleaning
- Removable side racks for easy cleaning
- Telescopic rails (optional extra)
- Energy Rating A
- Dimensions: H 595 x W 595 x D 571mm
- 11 Cooking functions: Top & bottom heat, fan & full grill, bottom heat, eco grill, fan & circular heater, fan plus circular heater & bottom heater, fan & bottom heat, fan with top & bottom heat, fan only, Pyrolytic Cleaning
- 5 Year parts & 2 year labour

10 | Electric Ovens

#### **PRIMA BUILT-IN** SINGLE ELECTRIC **FAN OVEN**

PRSO102





- 65 Litre capacity
- 4 Cooking functions
- Minute minder
- EasyClean enamel
- Energy Rating A
- Fingerprint proof stainless steel
- Quick-remove glass for easy cleaning
- Removable side racks for easy cleaning
- Dimensions: H 595 x W 595 x D 540mm
- Works on 13A supply
- 5 Year parts & 2 year labour

Additional shelf PRSH102 (Order separately)



#### **PRIMA BUILT-IN** SINGLE ELECTRIC **FAN OVEN**

PRSO104





- 65 Litre capacity
- 4 Cooking functions
- Digital programmer
- EasyClean enamel
- Energy Rating A
- Fingerprint proof stainless steel
- Quick-remove glass for easy cleaning
- Removable side racks for easy cleaning
- Dimensions: H 595 x W 595 x D 540mm
- Works on 13A supply
- 5 Year parts & 2 year labour

Additional shelf PRSH102 (Order separately)





# PRIMA+ BUILT-IN DOUBLE ELECTRIC OVEN

PRDO302





- ♠ White LED touch control digital display
- Quick-remove doors for easy cleaning
- Removable side racks for easy cleaning
- ♣ Telescopic rails (optional extra)
- 35 Litre capacity (top cavity)
- 59 Litre capacity (main oven)
- Energy Rating A/A
- Dimensions: H 888 x W 595 x D 545mm
- Top oven functions: 4 functions conventional, grill, eco grill, bottom heat
- Main oven functions: 4 functions fan & full grill, full grill, fan & circular heater, fan
- 5 Year parts & 2 year labour

# PRIMA+ BUILT-UNDER DOUBLE ELECTRIC OVEN PRDO304





- ♠ White LED touch control digital display
- Quick-remove doors for easy cleaning
- Removable side racks for easy cleaning
- 35 Litre capacity (top cavity)
- 50 Litre capacity (main oven)
- Energy Rating A/A
- Dimensions: H 718 x W 595 x D 556mm
- Top oven functions: 4 functions conventional, grill, eco grill, bottom heat
- Main oven functions: 4 functions fan & full grill, full grill, fan & circular heater, fan
- 5 Year parts & 2 year labour

#### Double Electric Ovens, Warming Drawers & Telescopic Rails

# PRIMA+ 15CM WARMING DRAWER

PRWD002

- 6 Plate settings
- Push/Pull action
- Stainless steel strip
- Ideal to combine with compact oven PRCM333
- Dimensions: H 141 x W 595 x D 580mm
- 5 Year parts & 2 year labour



PRTG001/PRTG002



#### PRTG001

- 2/3 extension
- Stainless steel
- 12.5kg load capacity
- Fits Prima+ ovens:
  PRSO106/PRSO108/PRSO110
  PRDO302 (main oven)

#### PRTG002

- Full extension
- Stainless steel
- 12.5kg load capacity
- Fits Prima+ ovens:
  PRSO106/PRSO108/ PRSO110
  PRDO302 (main oven)

12 | Electric Ovens

Compare our ovens see page 56



## **PRIMA+ BUILT-IN COMPACT COMBINATION** MICROWAVE, GRILL & FAN OVEN

PRCM333



Microwave

Microwave & grill



Microwave + rear element + fan



Defrost



Top grill



Rear element + fan



Top grill + fan



Top grill + rear element + fan



13amp Supply

- 45 Litre capacity
- Full touch control white LED display
- 900W microwave
- Dimensions: H 454 x W 595 x D 570mm
- Works on 13A supply
- 8 functions: Microwave, microwave & grill, microwave rear heater & fan, fan oven, grill & fan, grill, oven grill & fan, defrost
- 5 Year parts & 2 year labour





## BUILT-IN MICROWAVES

Designed to complement our ovens, both in style and functionality, our range of microwaves bring you all the ease and convenience benefits we expect from a microwave, including some built-in models that can fit inside a wall cabinet.

As a Prima product our microwaves focus on providing all the right functions you will need for your everyday and at a price that makes the decision to include one in your kitchen that little bit easier.

Quality and convenience

## **FUNCTION GUIDE**

#### Key to function icons for microwaves



#### **MICROWAVE**

Cooking with microwave function.



#### **GRILLS**

Single/single variable/dual variable. Ovens come with a number of different grill models, see individual product page for the type of grill fitted.



#### MINUTE MINDER

Mechanical Timer.



#### **JET DEFROST**

Defrosts 7 times faster than a conventional microwave oven with even microwave distribution that works directly on the water molecules inside the food.



#### **DEFROST FUNCTION**

Oven fan assists defrost by circulating air around food.



#### CHILD LOCK

This locks the function, preventing the danger of children altering functions.



#### **ELECTRONIC PROGRAMMER/DISPLAY**

Electronic clock with digital timer.



#### **EXPRESS COOKING**

Facilitates cooking at full microwave power for short period.



#### **AUTO PROGRAMMES**

Eg: Pizza, meat, pasta, potato, fish, vegetable, popcorn and beverage.



#### **DIGITAL TIMER**

Digital clock and timer



#### **CAPACITY**

Microwave capacity (litres).

For technical specification and features please see page 57

## PRIMA+ BUILT-IN **39CM MINI MICROWAVE** PRCM111






- Fits in wall cabinets (of min. 300mm depth)
- ♠ Easy installation Systems
- → Jet defrost function
- ♣ Digital timer
- ♣ Child safety lock
- 4 Power levels
- 22 Litre capacity
- 750W
- Dimensions: H 382 x W 595 x D 294mm
- 5 Year parts & 2 year labour

#### **PRIMA BUILT-IN STAINLESS STEEL** FRAMELESS MICROWAVE **AND GRILL**

LCTM251





- 8 Power levels
- 25 Litre capacity
- 900W Microwave
- 1000W Grill
- Digital timer
- Defrost setting
- Automatic cook menus
- Child safety lock
- 3 Functions
- Dimensions: H 388 x W 595 x D 410mm
- 5 Year parts & 2 year labour

#### **PRIMA BUILT-IN STAINLESS STEEL FRAMED MICROWAVE AND GRILL** LCTM25F





- 5 Power levels
- 25 Litre capacity
- 900W Microwave
- 1000W Grill
- Digital timer
- Defrost setting
- Automatic cook menus
- Child safety lock
- 3 Functions
- Dimensions: H 388 x W 595 x D 410mm
- 5 Year parts & 2 year labour

#### PRIMA BUILT-IN STAINLESS STEEL FRAMED MICROWAVE LCTM201





- 5 Power levels
- 20 Litre capacity
- 800W
- Digital timer
- Cooking timer: 0-95 mins
- Defrost setting
- Express cooking
- Child safety lock
- Dimensions: H 382 x W 594 x D 345mm
- 5 Year parts & 2 year labour

## PRIMA BUILT-IN BLACK MICROWAVE

PRCM202






- 5 Power levels
- 20 Litre capacity
- 800W
- 35 minute timer
- Defrost setting
- Dimensions: H 384 x W 595 x D 336mm
- 5 Year parts & 2 year labour

For our combination oven and microwave see page 13

Compare our microwaves see page 57 www.Prima-Appliances.uk | 17





## **HOBS**

Choosing your hob type is a very personal decision and whether your preference is gas, electric, induction or ceramic the Prima range has a great solution for you.

Our Prima+ gas on glass hobs are beautifully stylish and complement our Prima+ ovens and hoods to create a consistent and complete look usually associated with more expensive brands.

For technical specifications and features please see page 58

## Whatever your preference





- ♣ Frameless finish
- Cast iron pan supports
- ♠ Auto-ignition control knobs
- 4 Burners
- Auto lock safety device
- Flame failure device
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 50 x W 580 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

# PRIMA+ 70CM GAS ON GLASS HOB PRGH214



- Frameless finish
- Cast iron pan supports
- Auto-ignition control knobs
- ♠ Wok Burner
- 5 Burners
- Auto lock safety device
- Flame failure device
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 50 x W 680 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

# PRIMA+ 90CM GAS ON GLASS HOB PRGH216



- Frameless finish
- Cast iron pan supports
- Auto-ignition control knobs
- 3.8 kw Wok Burner
- 5 Burners
- Auto lock safety device
- Flame failure device
- Cut-out dimensions (mm): 837 x 477
- Dimensions: H 50 x W 860 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

#### PRIMA 60CM STAINLESS STEEL GAS HOB

PRGH102

WITH ENAMELLED PAN SUPPORTS



- 4 Burners
- Enamelled pan supports
- Push and turn electric ignition
- Easy clean top plate and control
- 8 Power settings
- Easy grip control knobs
- Flame failure safety device
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 42 x W 580 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

#### NEW

#### PRIMA 60CM STAINLESS STEEL GAS HOB

PRGH104

WITH CAST IRON PAN SUPPORTS



- 4 Burners
- Cast iron pan supports
- Push and turn electric ignition
- Easy clean top plate and control
- 8 Power settings
- Easy grip control knobs
- Flame failure safety device
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 42 x W 580 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

Compare our hobs see page 58 www.Prima-Appliances.uk | 19

#### PRIMA 60CM BLACK GAS HOB

PRGH103



- 4 Burners
- Enamelled pan supports
- Push and turn electric ignition
- Easy clean top plate and control
- 8 Power settings
- Easy grip control knobs
- Flame failure safety device
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 42 x W 580 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

#### PRIMA 70CM STAINLESS STEEL GAS HOB

PRGH112

WITH ENAMELLED PAN SUPPORTS



- 5 Burners
- Wok burner
- Push and turn electric ignition
- Enamelled pan supports
- Flame failure safety device
- Cut-out dimensions (mm): 557 x 477
- Dimensions: H 42 x W 680 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

#### PRIMA 70CM STAINLESS STEEL GAS HOB

PRGH114

WITH **CAST IRON** PAN SUPPORTS



- 5 Burners
- Wok burner
- Push and turn electric ignition
- Cast iron pan supports
- Flame failure safety device
- Cut-out dimensions (mm): 557 x 477
- Dimensions: H 42 x W 680 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

#### NEW

#### PRIMA 90CM STAINLESS STEEL GAS HOB

PRGH116

WITH **CAST IRON** PAN SUPPORTS



- 5 Burners
- 3.8kw Wok burner
- Push and turn electric ignition
- Cast iron pan supports
- Flame failure safety device
- Cut-out dimensions (mm): 837 x 477
- Dimensions: H 42 x W 860 x D 500mm
- LPG Converter Kit supplied as standard
- 5 Year parts & 2 year labour

20 | Hobs

Compare our hobs see page 58

## PRIMA 60CM INDUCTION HOB

PRIH003



- Touch control
- 4 Cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Child safety lock
- Auto shut-off safety mechanism
- Black glass framless finish
- Maximum nominal power: 7.6kW
- Cut-out dimensions (mm): 560 x 490
- Dimensions: H 62 x W 590 x D 520mm
- 5 Year parts & 2 year labour

## PRIMA 60CM INDUCTION HOB

Includes 13 amp plug PRIH005



- Includes 13 amp plug
- Touch control
- 4 Cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Child safety lock
- Auto shut-off safety mechanism
- Black glass framless finish
- Maximum nominal power: 3kW
- Cut-out dimensions (mm): 560 x 490
- Dimensions: H 62 x W 590 x D 520mm
- 5 Year parts & 2 year labour

## PRIMA 90CM INDUCTION HOB

PRIH010



- Touch control
- 5 Cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Child safety lock
- Auto shut-off safety mechanism
- Black glass framless finish
- Maximum nominal power: 7.4kW
- Cut Out Dimensions (mm): 830 x 490
- Dimensions: H 80 x W 860 x D 520mm
- 5 Year parts & 2 year labour

## PRIMA 60CM ELECTRIC HOB

PREH102




- 4 Electric cooking zones
- Easy clean top plate and controls
- Easy grip control knobs
- 6 Position controls
- Stainless steel
- Cut-out dimensions (mm): 560 x 480
- Dimensions: H 46 x W 580 x D 500mm
- 5 Year parts & 2 year labour

Compare our hobs see page 58 www.Prima-Appliances.uk | 21

## Hobs

#### PRIMA 60CM **CERAMIC HOB**

PRCEH104



- 4 Hi-light cooking zones
- Residual heat indicators
- Easy grip control knobs
- Black glass frameless finish
- Over temperature cutout
- Maximum nominal power: 6W
- Cut-out dimensions (mm): 547 x 477
- Dimensions: H 50 x W 580 x D 510mm
- 5 Year parts & 2 year labour

#### PRIMA 60CM **CERAMIC HOB**

PRCEH106



- Touch control and digital display
- 4 Hi-light cooking zones
- Residual heat indicators
- Timer at each zone (1-99 minutes)
- Over temperature cutout
- Auto safety shut off
- Child safety lock
- Black glass frameless finish
- Maximum nominal power: 6.3kW
- Cut-out dimensions (mm): 547 x 477
- Dimensions: H 50 x W 580 x D 510mm
- 5 Year parts & 2 year labour









## **HOODS**

Our Hoods range has a wide variety of styles and types giving you complete flexibility, whether for use over an island, wall mounted or even our Prima+ downdraft hood which fits into your worktop.

Our Prima+ hoods are highly functional with an excellent extraction rate of 530m<sup>3</sup>/h or greater and yet are stylish enough to enhance the look of any kitchen.

For technical specifications and features please see page 59

## Style and function combined





- Extraction rate 550m<sup>3</sup>/h
- ♣ Touch control
- 3 Speed settings
- ♠ White LED to match Prima+ ovens
- Energy rating B
- 66 dBA
- Dimensions: H 820 1120 x W 600 x D 333mm
- PRF006 Carbon filter to suit (optional)
- PRAE800 Chimney Extension Black (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour





- ₱ Extraction rate 760m³/h
- ♣ Touch control
- 4 Speed settings and booster function
- 2 x LED bulbs
- 65dBA
- Dimensions: H 300 x W 880 x D 90mm
- Can be recirculated with carbon filter PRF008
- Retracts into worktop when not in use
- PRF008 Filter to suit (optional)
- 5 Year parts & 2 year labour

# PRIMA+ 60/70/90CM STAINLESS STEEL/GLASS ANGLED HOOD

PRAE1002/PRAE1004/PRAE1006



- ♠ Extraction rate 530m³/h
- → White LED Touch control
- 3 Speed settings
- 15 minute timer
- Anodised aluminium filter
- 2 x LED lights
- 66 dBA
- Energy rating B
- Dimensions: H 780 1080 x W 600 x D 303mm
- Dimensions: H 780 1080 x W 700 x D 303mm
- Dimensions: H 780 1080 x W 900 x D 303mm
- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour



PRAE0018 - 60cm PRAE0020 - 70cm PRAE0022 - 90cm



- ♠ Extraction rate 530m³/h
- Push button control
- 3 Speed settings
- Anodised aluminium filter
- 2x LED lights

(optional)

- Energy rating B
- 66 dBA
- Dimensions: H 780-1080 x W 600 x D 303mm
- Dimensions:
   H 780-1080 x W 700 x D 303mm
- Dimensions:
- H 780-1080 x W 900 x D 303mm

   PRF006 Carbon filter to suit (optional)
- PRAE800 Chimney Extension Black
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

# PRIMA+ STAINLESS STEEL TOUCH CONTROL BOX HOOD


PRCH026 - 60cm PRCH028 - 70cm PRCH030 - 90cm



- Extraction rate 550m<sup>3</sup>/h
- Touch control black glass panel
- 3 Speed settings
- ♠ White LED to match Prima+ ovens
- Digital LED clock
- ♣ Delay timer (1-9 minutes)
- 2x 1W LED lamps
- Energy rating C
- 69 dBA
- Dimensions:
- H 450-750 x W 600 x D 450mm
- Dimensions:
- H 450-750 x W 700 x D 450mm
- Dimensions:
- H 450-750 x W 900 x D 450mm
- PRF006 Carbon filter to suit (optional)
- PRAE800 Chimney Extension Black (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

#### 90CM ISOLA QUADRA ISLAND HOOD

LIA729



- Extraction rate 756m3/h
- Soft touch control
- 4 Speed settings and booster function
- 15 minute timer
- Anodised aluminium filter
- 52 dBA
- 4x 20W Halogen lights
- Dimensions:
- H 710 1075 x W 900 x D 600mm
- LIA201 Carbon filter to suit (optional)
- 5 Year parts & 2 year labour

#### PRIMA 90CM STAINLESS STEEL CURVED GLASS ISLAND HOOD

PRCGH100



- Extraction rate 400m<sup>3</sup>/h
- Push button control
- 3 Speed settings
- Anodised aluminium filter
- 63dBA
- 2x LED lights
- Dimensions:
- H 650-1130 x W 900 x D 600mm
- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

26 | Hoods

Compare our hoods see page 59

#### PRIMA 60CM STAINLESS STEEL FLAT GLASS HOOD

PRFH002



- Maximum extraction: 400m3/h
- Push button control
- 3 Speed settings
- 1x LED light
- Aluminium filter
- 58 dBA
- Dimensions:
   H 540-740 x W 600 x D 450mm
- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

# PRIMA STAINLESS STEEL CURVED GLASS CHIMNEY HOOD

PRCGH008 - 60CM PRCGH010 - 70CM PRCGH012 - 90CM



- Maximum extraction: 400m³/h
- Push button control
- 3 Speed settings
- 1x LED light
- Aluminium filter
- 58 dBA
- Dimensions:
   H 540-740 x W 600 x D 450mm
- Dimensions:
   H 540-740 x W 700 x D 450mm
- Dimensions:
   H 540-740 x W 900 x D 450mm
- PRF006 Carbon filter to suit (optional)
- PRCGH800 Chimney flue extension stainless steel (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

# PRIMA BLACK CURVED GLASS CHIMNEY HOOD


PRCGH009 - 60CM PRCGH011 - 70CM PRCGH013 - 90CM



- Maximum extraction: 400m3/h
- Push button control
- 3 Speed settings
- 1x LED light
- Aluminium filter
- 58 dBA
- Dimensions:
   H 540-740 x W 600 x D 450mm
- Dimensions:
   H 540-740 x W 700 x D 450mm
- Dimensions:
   H 540-740 x W 900 x D 450mm
- PRF006 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

# PRIMA 60CM EDGE LIT CURVED GLASS CHIMNEY HOOD

PRCGH202



- Maximum extraction: 400m3/h
- Push button control
- 3 Speed settings
- 1x LED light
- Aluminium filter
- 58 dBA
- 4 glass lighting options: blue, green, red or unlit
- Dimensions: H 540-740 x W 600 x D 450mm
- PRDK125 ducting kit available (optional)
- PRF006 Carbon filter to suit (optional)
- PRCGH800 Chimney flue extension stainless steel (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

# PRIMA STAINLESS STEEL CHIMNEY HOOD

PRCH020 - 60CM PRCH022 - 70CM

PRCH024 - 90CM

#### ALSO AVAILABLE IN BLACK

PRCH021 - 60CM PRCH023 - 90CM





- Maximum extraction: 436m3/h
- 41 dBA
- x 2 Anodised aluminium filters
- 2x 2.8W LED lights
- Dimensions: H 668-898 x W 600 x D 450mm
- Dimensions: H 668-898 x W 700 x D 450mm
- Dimensions: H 668-898 x W 900 x D 450mm
- LIA210 Carbon filter to suit (optional)
- PRCH800 Chimney flue extension stainless steel (optional)
- PRDK150 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

#### PRIMA GREY INTEGRATED HOOD

PRCH550



- Extraction rate 449m3/h
- Slider buttons
- 3 Speed settings
- Auto-start when opened
- Acrylic filter
- 68 dBA
- 1x 2.8W LED light
- Dimensions: H 400mm x W 600mm D 495mm
- LIA200 Carbon filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

#### PRIMA 60CM SILVER VISOR HOOD

LIA804



- Extraction rate 200m3/h
- Push buttons
- 3 Speed settings
- Acrylic filter
- Halogen bulb (1 x 28w)
- 63dBA
- Dimensions: H 150 x W 600 x D 520mm
- LIA200 Filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

#### PRIMA 60CM GREY CANOPY HOOD

PRCH700



- Extraction rate 195m<sup>3</sup>/h
- Slider buttons
- 3 Speed settings
- Acrylic filter
- 65 dBA

- 1x 2.8W LED light
- Dimensions: H 148 x W 527 x D 283mm
- LIA200 filter to suit (optional)
- PRDK125 Prima ducting kit (optional)
- 5 Year parts & 2 year labour

#### **GLASS SPLASHBACKS**

PRIMA 60CM STRAIGHT SPLASHBACK

LES001/LES002/LES003/LES005

PRIMA 60CM CURVED SPLASHBACK

LES101/LES102/LES103/LES105











- Made in UK
- Dimensions: H 750 x W 600 x D 6mm
- Curved splashbacks designed to fit PRCGH008 & PRCGH009

## Splashbacks

#### STAINLESS STEEL SPLASHBACKS

#### PRIMA 60/70/90/100CM **STRAIGHT SPLASHBACK**

LCT025/LCT026/LCT027/LCT028



- Made in UK
- Dimensions: H 750 x W 600/750/900/1000 x D 10mm
- Easy-fit design
- Quality 430 brushed stainless steel

#### PRIMA 60/70/90CM **CURVED SPLASHBACK**

LAA004/LAA005/LAA006



- Made in UK
- Dimensions: H 750 x W 600/700/900 x D 10mm
- Designed to fit PRCGH008 & PRCGH009
- MDF backed
- Quality 430 brushed stainless steel







# BUILT-IN COOLING

All Prima fridges, freezers and combined fridge freezers are built-in so that externally they appear as another cabinet or unit in your kitchen.

Our new Prima+ fridge freezers also look great on the inside with a silver trim and an optional chrome wine rack.

All Prima+ cooling products have an A+ energy rating and are also frost free making them comparable with products usually associated with more expensive brands.

## Looks stylish inside and out

## **FUNCTION GUIDE**

#### Key to function icons



#### **ENERGY RATING**

All our fridges & freezers come with energy rating A+.



#### **FROST FREE**

This innovative system eliminates the formation of ice on food and the freezer interior.



#### **AUTO DEFROST**

Automatically defrosts the fridge/freezer at regular intervals without the need to switch off the appliance or remove the food stored.



#### **FAST FREEZE**

The fast freeze function rapidly lowers the temperature ensuring that fresh food is frozen quickly.



#### **STAR RATING**

Freezer compartments allow food to be stored below -18°C, so that it can be kept for longer.



#### **LED DISPLAY**

To show current and set temperature within the wine cabinet.



#### CAPACITY

Giving the overall capacity in litres.

# PRIMA+ 50/50 FROST FREE FRIDGE FREEZER

PRRF500





- Frost Free
- Silver trim on shelves and balconies
- ♣ Chrome wine rack (optional extra)
- ★★★★ Freezer rating
- 154 Litre capacity fridge
- 78 Litre capacity freezer
- Frost Free
- 3 Adjustable shelves
- 2 Salad crispers
- Reversible doors
- Flame retardant metal back
- Energy Rating A+
- Dimensions: H: 1773mm W: 555mm D: 540mm
- 5 Year parts & 2 year labour

# PRIMA+ 70/30 FROST FREE FRIDGE FREEZER

PRRF700





- Frost Free
- ♠ Silver trim on shelves and balconies
- ♣ Chrome wine rack (optional extra)
- **⊕** ★★★★ Freezer rating
- 190 Litre capacity fridge
- 56 Litre capacity freezer
- Frost Free
- 4 Adjustable shelves
- 2 Salad crispers
- Reversible doors
- Flame retardant metal back
- Energy Rating A+
- Dimensions: H: 1773mm W: 555mm D: 540mm
- 5 Year parts & 2 year labour

## PRIMA+ CHROME (WINE RACK

PRRF900

Complement your fridge and add a stylish chrome wine rack.



• Fits in PRRF500/502/700/702/208

32 | Cooling Compare our cooling see page 60

## PRIMA 50/50 FRIDGE FREEZER

PRRF502





- 154 Litre capacity fridge
- 90 Litre capacity freezer
- Silver trim on shelves and balconies
- Automatic defrost fridge
- Manual defrost freezer
- 3 Adjustable shelves
- 2 Salad crispers
- Reversible doors
- Flame retardant metal back
- ★★★ Freezer rating
- Energy Rating A+
- Dimensions: H: 1773mm W: 540mm D: 545mm
- 5 Year parts & 2 year labour

## PRIMA 70/30 FRIDGE FREEZER

PRRF702





- 190 Litre capacity Fridge
- 70 Litre capacity freezer
- Silver trim on shelves and balconies
- Auto defrost fridge
- Manual defrost freezer
- 4 Adjustable shelves
- 2 Salad crispers
- Reversible doors
- Flame retardant metal back
- ★★★★ Freezer rating
- Energy Rating A+
- Dimensions: H: 1773mm W: 540mm D: 545mm
- 5 Year parts & 2 year labour

## Cooling

## PRIMA UNDER COUNTER LARDER FRIDGE

PRRF100





- 142 Litre capacity fridge
- 3 Glass shelves
- Hettich hinges
- Automatic defrost
- Flame retardant metal back
- Energy Rating A+
- Dimensions: H 820-870mm W 596mm D 550mm
- Multiple shelf levels to help utilise space
- 2 Salad crispers
- 5 Year parts & 2 year labour

Compare our cooling see page 60 www.Prima-Appliances.uk | 33

## PRIMA UNDER COUNTER FRIDGE WITH ICE BOX

LPR132A1





- 108 Litre capacity fridge
- 20 Litre capacity freezer
- 2 Glass shelves
- Hettich hinges
- Automatic defrost fridge
- Manual defrost freezer
- Flame retardant metal back
- ★★★★ Freezer rating
- Energy rating A+
- Dimensions:
   H 820-870mm W 596mm D 550mm
- 5 Year parts & 2 year labour

# PRIMA UNDER COUNTER LARDER FREEZER

PRRF102





- 102 Litre capacity freezer
- ★★★★ Freezer rating
- Fast freeze function
- Hettich hinges
- Flame retardant metal back
- Manual defrost
- Energy rating A+
- Dimensions:
   H 820-870mm W 596mm D 550mm
- 5 Year parts & 2 year labour

#### PRIMA BUILT-IN LARDER FRIDGE

PRRF208





- 316 Litre capacity fridge
- Automatic defrost
- 5 Glass shelves
- 2 Salad drawers
- Energy Rating A+
- Silver trim on shelves and balconies
- Flame retardant metal back
- Chrome wine rack (optional extra)
- Dimensions: H: 1770mm W: 540mm D: 540mm
- 5 Year parts & 2 year labour

## PRIMA BUILT-IN LARDER FREEZER

PRRF209





- 226 Litre capacity freezer
- 9 Crystal drawers
- Fast freeze function
- Low noise
- Manual defrost
- Flame retardant metal back
- ★★★★ Freezer rating
- Energy Rating A+
- Dimensions: H: 1770mm W: 540mm D: 540mm
- 5 Year parts & 2 year labour

#### Wine Coolers

#### PRIMA 150MM WINE COOLER STAINLESS STEEL

PRWC015



- 30 Litre capacity
- 6 Bottle capacity
- 5 Steel shelves
- White LED light
- Temp range 4-18°C
- Automatic defrost
- Digital temperature display
- Compressor cooling technology
- Adjustable feet
- Child lock
- Dimensions: H: 820-890mm W: 150mm D: 600mm
- 5 Year parts & 2 year labour

#### PRIMA 300MM WINE COOLER STAINLESS STEEL

PRWC030



- 55 Litre capacity
- 15 Bottle capacity
- 5 Wooden shelves
- White LED light
- Automatic defrost
- Digital temperature display
- Temp range 4-18°C
- Compressor cooling technology
- Adjustable feet
- Child lock
- Dimensions: H: 820-890mm W: 295mm D: 600mm
- 5 Year parts & 2 year labour

#### NEW

#### PRIMA 300MM WINE COOLER BLACK

PRWC330



- 58 Litre capacity
- 18 Bottle capacity
- 6 Adjustable wooden shelves
- Ambient temperature 16-32°C
- LCD display
- Digital temperature display
- Adjustable feet
- Dimensions: H: 870mm W: 295mm D: 613mm
- 5 Year parts & 2 year labour

Compare our wine coolers see page 60 www.Prima-Appliances.uk | 35







## INTEGRATED DISHWASHERS

All Prima dishwashers are integrated into your kitchen ensuring that your kitchen look is seamless.

Our Prima+ dishwasher has space for an impressive 14 place settings, has a separate and convenient adjustable cutlery tray and an "in operation" floor light to show you when the dishwasher cycle is running, all within a product that has an A+++ energy rating.

With so many features and at such an attractive price our Prima+ dishwasher is hard to beat.

For technical specifications and features please see page 61

## Practical and efficient

# PRIMA+ 60CM INTEGRATED DISHWASHER

PRDW204





- 14 Place settings
- #In Operation" floor light
- Adjustable cutlery drawer
- Turbo dry function
- ♣ Low noise 42dBA
- ♣ Load-sensing "Auto" program
- ♣ Energy Rating A+++
- 7 Programmes
- 30 minute rapid wash
- Height adjustable top basket
- Delay timer option
- 3 Spray levels
- Only uses 10L water on a typical cycle
- Dimensions: H 820-870 x W 595 x D 540mm
- 5 Year parts & 2 year labour

# PRIMA 60CM INTEGRATED DISHWASHER

LPR661A





- 14 Place settings
- 7 programmes
- 4 temperature levels
- 11 litre water consumption
- 3 spray levels
- Delay timer option
- 30 minute rapid wash
- 47dBA
- Height adjustable top basket
- Energy Rating A++
- Adjustable feet
- Dimensions:
   H 820-870 x W 595 x D 540mm
- 5 Year parts & 2 year labour

# PRIMA 60CM INTEGRATED DISHWASHER

PRDW200





- 12 Place settings
- 4 programmes
- 11 litre water consumption
- Delay timer option
- 30 minute rapid wash
- 49 dBA
- Height adjustable top basket
- Energy Rating A++
- Dimensions:
   H 820-870 x W 596 x D 550mm
- 5 Year parts & 2 year labour

# Dishwashers

# PRIMA 45CM INTEGRATED SLIMLINE DISHWASHER

LPR659A





- 10 Place settings
- 6 programmes
- 4 temperature levels
- 9 litre water consumption
- 3 spray levels
- 30 minute rapid wash
- 49dBA
- Energy Rating A++
- Adjustable feet
- Delay timer option
- Dimensions:
   H 820-870 x W 445 x D 540mm
- 5 Year parts & 2 year labour





# INTEGRATED LAUNDRY

Our Prima laundry range offers a simple choice of washing machine, sensor tumble dryer or a combined washer dryer.

Every product is integrated so it is hidden away behind your cabinet door even during a wash or drying cycle. With up to 8kg load capacity and a 1400 RPM spin our laundry range offers great specs for its price and comes with our 5 years parts (2 year labour) guarantee.

For technical specifications and features please see page 61

Perfect for your fitted kitchen

# PRIMA INTEGRATED WASHING MACHINE

PRLD370





- 7kg Load capacity
- 1400 rpm Spin
- 16 programmes
- 15 minute quick wash function
- Delay start (0-24 hrs)
- Larger port hole for easy loading
- Energy Rating A+++
- Dimensions: H 825 x W 595 x D 540mm
- 5 Year parts & 2 year labour

# PRIMA INTEGRATED WASHER DRYER

PRLD375





- 8kg Load (6kg Dry) capacity
- 1400 rpm Spin
- 16 programmes
- 15 minute quick wash function
- Delay start (0-24 hrs)
- Larger port hole for easy loading
- Energy Rating A
- Dimensions: H 825 x W 595 x D 540mm
- 5 Year parts & 2 year labour

# PRIMA INTEGRATED SENSOR DRYER

PRTD210



- 7kg Load capacity
- Sensor dry
- 2 heat settings
- 6 Drying levels
- Energy Rating C
- Made in UK
- Dimensions: H 865-890 x W 595 x D 530mm
- 5 Year parts & 2 year labour

Compare our laundry see page 61 www.Prima-Appliances.uk | 39





# **SINKS & TAPS**

To complete your kitchen we offer a range of sinks and taps in various materials and styles to suit your tastes and needs.

All our stainless steel sinks come with a 5 year guarantee and all our granite sinks come with an impressive lifetime guarantee. All our taps come with a 10 year guarantee.

# Complete your kitchen

# **Granite Sinks**

# PRIMA+ **GRANITE 1.0 BOWL**

CPR310/CPR311/ CPR312/CPR313















- Extra large bowl
- ♣ Scratch resistant
- ♠ Stain resistant
- ♣ Granite
- Waste and over flow included
- Dimensions: W 1000 x D 500 x H 200mm
- Bowl dimensions: W 480 x D 430 x H 200mm
- Cut out depth: 480mm. Cut out width: 980mm
- Minimum cabinet width: 600mm
- Reversible
- Plumbing kit included
- Comes with a lifetime guarantee

# **GRANITE 1.5 BOWL**

CPR314/CPR315/ CPR316/CPR317













- ♣ Scratch resistant
- ♣ Stain resistant
- ♣ Granite
- Waste and over flow included
- Dimensions: W 1000 x D 500 x H 200mm

White

- Main bowl dimensions: W 345 x D 430 x H 200mm
- 1/2 bowl dimensions: W 155 x D 340 x H 146mm
- Cut out depth: 480mm. Cut out width: 980mm
- Minimum cabinet width: 600mm
- Reversible
- Plumbing kit included
- Comes with a lifetime guarantee

# **Granite Sinks**



CPR350/CPR351/CPR352



Black

White

Light Grey





- ♣ Scratch resistant
- ♠ Stain resistant
- ♣ Granite
- Can also be installed as inset
- Waste and overflow included
- Dimensions: W 533 x D 457 x H 205mm
- Bowl dimensions: W 469 x D 394 x H 205mm
- Minimum cabinet width: 600mm
- Comes with a lifetime guarantee

# PRIMA+ GRANITE 1.5 BOWL UNDERMOUNT SINK

CPR353/CPR354/CPR355




Black

White

Light Grey



- ♣ Scratch resistant
- ♠ Stain resistant
- ♣ Granite
- Can also be installed as inset
- Waste and overflow included
- Dimensions: W 555 x D 460 x H 200mm
- Bowl dimensions: W 335 x D 400 x H 200mm
- 1/2 Bowl dimensions: W 155 x D 400 x H 140mm
- Minimum cabinet width: 600mm
- Comes with a lifetime guarantee



# Composite Sinks

# PRIMA 1.0 BOWL COMPOSITE SINK BLACK CPR304



- Made from durable Synthetic and Coated SMC
- Waste included
- Dimensions: W 970 x D 500 x H 200mm
- Bowl dimensions: W 420 x D 450 x H 200mm
- Cut-out depth: 480mm. Cut-out width: 950mm
- Minimum cabinet width: 600mm
- Reversible
- Matt finish
- Comes with a 20 year guarantee

# PRIMA 1.5 BOWL COMPOSITE SINK BLACK CPR305



- Made from durable Synthetic and Coated SMC
- Waste included
- Dimensions: W 970 x D 500 x H 200mm
- Main bowl dimensions: W 420 x D 360 x H 200mm
- 1/2 Bowl dimensions: W 150 x D 290 x H 100mm
- Cut-out depth: 480mm. Cut-out width: 950mm
- Minimum cabinet width: 600mm
- Reversible
- Matt finish
- Comes with a 20 year guarantee



# Ceramic Sinks

# **PRIMA 1.0 BOWL TRADITIONAL CERAMIC SINK**

CPR403





- Made from durable ceramic
- Waste included
- Dimensions: W 1015 x D 525 x H 220mm
- Bowl dimensions: W 420 x D 400 x H 220mm
- Cut-out depth: 505mm. Cut-out width: 995mm
- Minimum cabinet width: 600mm
- Reversible
- Gloss finish
- Comes with a 5 year guarantee

# **PRIMA 1.5 BOWL TRADITIONAL CERAMIC SINK**

CPR404



- Made from durable ceramic
- Waste included
- Dimensions: W 1015 x D 525 x H 225mm
- Main bowl dimensions: W 360 x D 400 x H 225mm
- 1/2 Bowl dimensions: W 130 x D 260 x H 120mm
- Cut-out depth: 505mm, Cut-out width: 995mm
- Minimum cabinet width: 600mm
- Reversible
- Gloss finish
- Comes with a 5 year guarantee

# **PRIMA 1.0 BOWL BELFAST SINK**





- Made from non-porous ceramic
- Waste included
- Dimensions: W 595 x D 455 x H 255mm
- Bowl dimensions: W 524 x D 384 x H 229mm
- Minimum cabinet width: 600mm
- Reversible
- Gloss finish
- Comes with a 5 year guarantee

# Sinks & Taps Packs

# **PRIMA COMPACT POLISHED STAINLESS STEEL** 1 BOWL & TAP PACK

CPR001



- Includes 1 bowl compact Inset sink and chrome single lever WRAS approved tap
- Sink dimensions: W 800 x D 500 x H 155mm
- Bowl dimensions: W 340 x D 400 x H 155mm
- Cut-out depth: 480mm. Cut-out width: 780mm
- Minimum cabinet width: 450mm
- Reversible
- Made from 0.7mm guage stainless steel
- Box contains waste, overflow and single lever tap
- Pre-drilled tap holes
- CPR105 Pipework & plumbing kit (optional)
- Comes with 5 year guarantee on sink & 10 years on the tap

# **PRIMA POLISHED STAINLESS STEEL** 1 BOWL & TAP PACK

CPR002



- Includes 1 bowl Inset sink and chrome single lever WRAS approved tap
- Sink dimensions: W 965 x D 500 x H 155mm
- Bowl dimensions: W 400 x D 400 x H 155mm
- Cut-out depth: 480mm. Cut-out width: 945mm
- Minimum cabinet width: 500mm
- Reversible
- Made from 0.7mm guage stainless steel
- Box contains waste, overflow and single lever tap
- Pre-drilled tap holes
- CPR105 Pipework & plumbing kit (optional)
- Comes with 5 Year guarantee on sink & 10 years on the tap

# **PRIMA POLISHED STAINLESS STEEL** 1.5 BOWL & TAP PACK



- Includes 1.5 bowl remove Inset sink and chrome single lever WRAS approved tap
- Sink dimensions: W 965 x D 500 x H 155mm
- Main bowl dimensions: W 340 x D 400 x H 155mm
- 1/2 Bowl dimensions: W 163 x D 300 x H 86mm
- Cut-out depth: 480mm. Cut-out width: 945mm
- Minimum cabinet width: 600mm
- Reversible
- Made from 0.7mm guage stainless steel
- Box contains waste and single lever tap
- Pre-drilled tap holes
- BAS9040 Pipework & plumbing kit (optional)
- Comes with 5 Year guarantee on sink & 10 years on the tap

# Polished Stainless Steel Sinks

# **PRIMA** 1.0 BOWL SINK

CPR012



- Made from 0.7mm guage stainless steel
- Waste and overflow included
- Dimensions: W 965 x D 500 x H 155mm
- Bowl dimensions: W 400 x D 400 x H 155mm
- Cut-out depth: 480mm. Cut-out width: 945mm
- Minimum cabinet width: 500mm
- Reversible
- Pre-drilled tap holes
- CPR105 Pipework & plumbing kit (optional)
- Comes with a 5 year guarantee

# **PRIMA** 1.5 BOWL SINK



- Made from 0.7mm guage stainless steel
- Waste included
- Dimensions: W 965 x D 500 x H 155mm
- Main bowl dimensions: W 340 x D 400 x H 155mm
- 1/2 Bowl dimensions: W 163 x D 300 x H 86mm
- Cut-out depth: 480mm. Cut-out width: 945mm
- Minimum cabinet width: 600mm
- Reversible
- Pre-drilled tap holes
- BAS9040 Pipework & plumbing kit (optional)
- Comes with a 5 year guarantee



# Polished Stainless Steel Sinks

# PRIMA DEEP BOWL 1.0

CPR030



- Made from 0.8mm guage stainless steel
- Dimensions: W 1000 x D 500 x H 200mm
- Bowl dimensions: W 480 x D 400 x H 200mm
- Minimum cabinet width: 600mm
- Reversible
- Waste & overflow included
- CPR105 Pipework & plumbing kit (optional)
- Comes with a 5 year guarantee

## **PRIMA DEEP BOWL 1.5**



- Made from 0.8mm guage stainless steel
- Dimensions: W 1000 x D 500 x H 200mm
- Main bowl dimensions: W 350 x D 410 x H 200mm
- 1/2 Bowl dimensions: W 164 x D 300 x H 143mm
- Minimum cabinet width: 600mm
- Reversible
- Waste & overflow included
- BAS9040 Pipework & plumbing kit (optional)
- Comes with a 5 year guarantee



# Polished Stainless Steel Sinks

# NEW PRIMA+ 1.5 BOWL REVERSIBLE **UNDERMOUNT SINK** CPR510



- 0.8mm SS304 powder coated stainless steel
- Waste & hygienic overflow included
- 180mm deep main bowl
- Dimensions: W 650 x D 450 x H 180mm
- Main bowl dimensions: W 340 x D 400 x H 180mm
- 1/2 Bowl dimensions: W 180 x D 400 x H 120mm
- Includes a cut-out template
- Minimum cabinet width: 600mm
- Reversible
- BAS9040 Pipework & plumbing kit (optional)
- Waste disposal compatible
- Comes with a 5 year guarantee

# **PRIMA 1.5 BOWL UNDERMOUNT SINK**

CPR501 - RIGHT HAND SMALL BOWL CPR500 - LEFT HAND SMALL BOWL



- Made from 0.8mm guage stainless steel
- Waste & overflow included
- Dimensions: W 580 x D 450 x H 180mm
- Main bowl dimensions: W 355 x D 410 x H 180mm
- 1/2 Bowl dimensions: W 156 x D 294 x H 120mm
- Includes a cut-out template
- Minimum cabinet width: 600mm
- Right Handed (Also available in left handed)
- BAS9040 Pipework & plumbing kit (optional)
- Comes with a 5 year guarantee

# **PRIMA** 1.5 BOWL REVERSIBLE **UNDERMOUNT SINK** CPR506



- Made from 0.8mm guage stainless steel
- Waste & overflow included
- Dimensions: W 595 x D 460 x H 185mm
- Main bowl dimensions: W 350 x D 410 x H 185mm
- 1/2 Bowl dimensions: W 164 x D 300 x H 110mm
- Minimum cabinet width: 600mm
- Reversible
- BAS9040 Pipework & plumbing kit (optional)
- Waste disposal compatible
- Comes with a 5 year guarantee

# **PRIMA LARGE BOWL UNDERMOUNT SINK** CPR508



- Waste & overflow included
- Dimensions: W 530 x D 450 x H 195mm
- Internal dimensions: 480 x 400mm
- Minimum cabinet width: 600mm
- Made from 0.8mm guage stainless steel
- CPR105 Pipework & plumbing kit (optional)
- Waste disposal compatible
- Comes with a 5 year guarantee

# 3 in 1 Hot Taps



NEW & IMPROVED



- fluid Instantly boiled hot water (max 98°C)
- ♣ Supplied with tank & filter
- Digital touch control boiler display
- 3 temperature options: 98°C, 96°C, 75°C
- Contemporary chrome single flow tap
- Pressure less safety design with a child lock
- Anti-scald safety tap
- 2.4L boiler capacity
- New 'Dry Burn' protection sensor
- UK manufactured water filter
- Tap dimensions: Overall height 352mm, Spout height - 352mm, Spout reach - 192mm
- Operating pressure: 1.5 to 5 bar
- WRAS approved
- Comes with a 10 year guarantee (tap) & 2 year (tank)



BPR401

NEW & IMPROVED



- ♠ Instantly boiled hot water (max 98°C)
- Supplied with tank & filter
- Digital touch control boiler display
- 3 temperature options: 98°C, 96°C, 75°C
- Contemporary brushed steel single flow tap
- Pressure less safety design with a child lock
- Anti-scald safety tap
- 2.4L boiler capacity
- New 'Dry Burn' protection sensor
- UK manufactured water filter
- Tap dimensions: Overall height 352mm, Spout height - 352mm, Spout reach - 192mm
- Operating pressure: 1.5 to 5 bar
- WRAS approved
- Comes with a 10 year guarantee (tap) & 2 year (tank)



# Professional Taps

# NEW PRIMA+ **COLOURED COLLECTION**

BPR700 - BLACK BPR702 - GREY BPR704 - WHITE



- Ideal to co-ordinate with Prima+ Granite Sinks
- Quarter turn operation
- Brushed steel base
- Single flow tap
- Dimensions:

Overall Height - 388mm; Spout reach - 210mm

- Minimum pressure: 0.3 bar
- Flow aerator for controlled water delivery
- WRAS approved
- 5 year guarantee





- Brushed Copper finish
- Single lever
- Single flow tap
- Dimensions: Overal height - 376mm, Spout height - 194mm
- Minimum pressure: 0.5 bar
- 10 year guarantee



**BPR310** 



- ♣ Flexi spout
- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions:

Overal height - 490mm, Spout height - 153mm, Spout reach - 190mm, Base/Handle width - 145mm

- Minimum pressure: 0.5 bar
- 10 year guarantee

# Professional Taps



BPR2251 - CHROME BPR2252 - BLACK



- ♣ Flexi spout
- Chrome or Black finish
- Single flow tap
- Dimensions: Overal height - 352mm, Spout height - 202mm,

Spout reach - 230mm, Base/Handle width - 120mm

- Minimum Pressure: 0.5 bar
- 10 year guarantee

# **PROFESSIONAL BLACK SPRAY MIXER TAP** BPR601



- ⊕ Black pull out flexi spout
- Cartridge technology
- Chrome finish
- Dimensions: Overal height - 540mm, Spout height - 205mm, Spout reach - 208mm
- Minimum pressure: 0.5 bar
- 10 year guarantee



BPR606 - CHROME



- Flexi spout
- Solid brass body with chrome finish
- Cartridge technology

Overal height - 520mm, Spout height - 186.5mm, Spout reach - 194mm, Base/Handle width - 54mm

- Minimum pressure: 0.1 bar
- 10 year guarantee

# **Contemporary Taps**

# **PRIMA ASTORIA SQUARE MIXER TAP**

BPR2241 - CHROME



- Quarter turn operation
- Chrome finish
- Ceramic disc valve
- Aerator
- 360 swivel spout
- Dimensions: Overal height 348mm, Spout height - 331mm, Spout reach - 190mm, Base/Handle width 147mm
- Minimum pressure: 0.2 bar
- 10 year guarantee

# **PRIMA CHELSEA SWAN NECK MIXER TAP**

BPR2221 - CHROME BPR2222 - BRUSHED FINISH



- Quarter turn operation
- Chrome or brushed finish
- Ceramic disc valve
- Aerator
- 360 swivel spout
- Dimensions: Overall height 367mm, Spout height - 250mm, Spout reach -213mm, Base/Handle width - 123mm
- Minimum Pressure: 0.2 bar
- 10 year guarantee

# **PRIMA RHODE U SPOUT MIXER TAP**

BPR2231 - CHROME



- Quarter turn operation
- Chrome finish
- Ceramic disc valve
- Aerator
- 360 swivel spout
- Dimensions: Overall height 325mm, Spout height - 255mm, Spout reach -205mm, Base/Handle width - 145mm
- Minimum pressure: 0.5 bar
- 10 year guarantee

# **PRIMA BRONX SQUARE SWAN NECK MIXER TAP**

BPR2211 - CHROME BPR2212 - BRUSHED FINISH



- Chrome or brushed finish
- Quarter turn operation
- Ceramic disc valve
- Aerator
- 360 swivel spout
- Dimensions: Overall height 346mm, Spout height - 260mm, Spout reach -194mm, Base/Handle width - 100mm
- Minimum Pressure: 0.5 bar
- 10 year guarantee

# **Contemporary Taps**

## NEW **PRIMA ALBANY MIXER TAP** BPR2243



- Quarter turn operation
- Single flow tap
- Chrome finish
- Ceramic disc valve
- Aerator
- Dimensions: Overall height 320mm, Spout reach - 182mm
- WRAS approved
- 10 year guarantee

# **PRIMA SOHO SWAN NECK MIXER TAP**

BPR2051 - CHROME **BPR316 - BRUSHED FINISH** 



- Single lever
- Chrome or brushed finish
- Single flow tap
- Dimensions: Overall height 376mm, Spout height - 266mm, Spout reach -194mm, Base/Handle width - 90mm
- Minimum Pressure: 0.5 bar
- 10 year guarantee

# **PRIMA VOGUE MIXER TAP**

BPR302 - CHROME



- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions: Overall height 376.5mm, Spout height - 292mm; Spout reach -198.5mm, Base/Handle width - 131mm
- Minimum Pressure: 0.5 bar
- 10 year guarantee

# **PRIMA** STATEN MIXER TAP

BPR2201 - CHROME BPR2202 - BRUSHED FINISH



- Quarter turn operation
- Chrome or brushed finish
- Single flow tap
- Dimensions: Overall height 376.5mm, Spout height - 292mm, Spout reach -198.5mm, Base/Handle Width - 131mm
- Minimum Pressure: 0.5 bar
- 10 year guarantee

# Essential Taps

# **PRIMA SINGLE LEVER MIXER TAP**

BPR1061 - CHROME BPR1062 - BLACK



- WRAS approved
- Chrome finish
- Single flow tap
- Dimensions: Overall height - 152mm, Spout height - 123mm, Spout reach - 207mm, Base/Handle width - 52mm
- Minimum pressure: 0.5 bar
- 10 year guarantee

# **PRIMA DUAL LEVER V SHAPE MIXER TAP**

BPR312



- Quarter turn operation
- Chrome finish
- Single flow tap
- Overall height 330mm, Spout height 262mm, Spout reach - 166mm, Base/Handle width - 206mm
- Minimum pressure: 0.5 bar
- 10 year guarantee

# **PRIMA QUARTER TURN SWAN NECK MIXER TAP**



- Quarter turn operation
- Chrome finish

BPR2151

- Single flow tap
- Dimensions: Overall height - 271mm, Spout reach - 140mm, Base/Handle width - 207mm
- Minimum pressure: 0.5 bar
- 10 year guarantee

# Essential Taps

# **PRIMA BELFAST DUAL LEVER MIXER TAP**

**BPR300** 



- Quarter turn operation
- Chrome finish
- Single flow tap
- Dimensions: Overall height - 363.2mm, Spout height - 229mm, Spout reach - 174.1mm, Base/Handle width - 192.7mm
- Minimum pressure: 0.5 bar
- 10 year guarantee

# **PRIMA CLASSIC DUAL LEVER MIXER TAP**



WRAS approved

BPR1051

- Quarter turn operation
- Chrome finish
- Single flow tap
- Overall Height 249mm, Spout height 215mm, Spout reach - 224mm, Base/Handle width - 153mm
- Minimum pressure: 0.5 bar
- 10 year guarantee

# **PRIMA MIXER TAP**

BPR308



- WRAS approved
- Chrome finish
- Compression valve
- Single flow tap
- Dimensions:

Overall height - 265mm, Spout height - 190mm, Spout reach - 210mm, Base/Handle width - 139mm

- Minimum Pressure: 0.5 bar
- 10 year guarantee

# **TECHNICAL SPECIFICATIONS AND FEATURES...**

OVENS			SINGLE	OVENS		BUILT-IN DOUBLE	BUILT-UNDER DOUBLE	COMPACT APPLIANCES
	PRSO108 6	PRSO106 €	PRSO110 €	PRSO104	PRSO102	PRDO302 <sup>₽</sup>	PRDO304 <sup>©</sup>	PRCM333 <sup>♠</sup>
Controls	Touch	Rotary	Touch	Rotary	Rotary	Rotary	Rotary	Touch
Stainless steel	•	•	•	•	•	•	•	•
Finger print proof finish	_	_	_	•	•	_	_	_
Functions	10	7	11	4	4	4/4	4/4	10
Circa fan cooking	•	•	•	•	•	• (Main)	• (Main)	•
Fan assisted - conventional cooking with fan	•	•	•	_	_	-	_	•
Conventional cooking -top & bottom element	•	•	•	_	_	Upper	Upper	•
Grill with fan	•	•	•	•	•	• (Main)	• (Main)	•
Circa fan with lower heat	•	-	•	_	_	_	_	•
Bottom element	•	•	•	_	_	Upper	Upper	•
Grill	•	•	•	•	•	• (Upper & Main)	• (Upper & Main)	•
Fan with lower heat	•	_	•	-	_	_	_	•
Eco grill	•	_	•	-	_	Upper	Upper	•
Defrost	•	•	•	•	•	• (Main)	• (Main)	•
Manual timer	_	_	_	-	•	_	_	-
Auto programmer	•	•	•	•	_	•	•	•
Display colour	White	White	White	Red	_	White	White	White
Chrome shelf supports	•	•	•	•	•	•	•	•
Optional telecopic rails	•	•	•	_	_	• (Main)	_	_
Easy-remove door	•	•	•	-	_	•	•	_
Easy remove glass for cleaning	•	•	•	•	•	_	_	-
Oven capacity (Litre) - gross (Net)	76 (70)	76 (70)	76 (70)	65 (59)	65 (59)	Upper 35 Main 59	Upper 35 Main 50	45 (40)
Energy rating	А	А	А	А	А	A/A	A/A	n/a
Height (mm)	595	595	595	595	595	888	718	454
Width (mm)	595	595	595	595	595	595	595	595
Depth (mm)	571	571	571	540	540	545	556	570
Maximum connection rating	2.0kw	2.0kw	2.9kw	2.7kw	2.7kw	4.1kw	4.1kw	3.4kw
Fuse rating	13A	13A	18A	13A	13A	18A	18A	13A

MICROWAVES	MICROWAVE	MICROWAVE AND GRILL	MICROWAVE AND GRILL	MICROWAVE	MICROWAVE
Ovens	PRCM111 <sup>€</sup>	LCTM251	LCTM25F	LCTM201	PRCM202
Height (nominal)	39CM	39CM	39CM	39CM	39CM
Stainless Steel	•	•	•	•	Black
Finger print proof finish	_	_	_	_	-
Functions	1	3	3	1	1
Microwave power - W	750W	900W	900W	800W	800W
Microwave power levels	4	8	5	5	5
Grill	_	1000W	1000W	_	_
Defrost	•	•	•	•	•
Timer	•	•	•	•	•
Digital display	•	•	•	•	_
Child safety lock	•	•	•	•	_
St/Steel inner cavity	_	_	_	_	_
Wall cupboard installation (min depth mm)	300	_	_	320	550
Turntable diameter (cm)	25.5	31.5	31.5	24.5	27
Microwave capacity (Litre) - net	22	25	25	20	20
Height (mm)	382	388	388	382	384
Width (mm)	595	595	595	594	595
Depth (mm)	294	410	410	345	336
Maximum connection rating	1.3kw	2.5kw	2.5kw	1.3kw	0.8kw

HOBS	GAS				GAS ON GLASS		ELECTRIC	ELECTRIC CERAMIC ELECTRIC		INDUCTION					
	PRGH116	PRGH114	PRGH112	PRGH103	PRGH102	PRGH104	PRGH212 <sup>⊕</sup>	PRGH214 <sup>€</sup>	PRGH216 <sup>€</sup>	PREH102	PRCEH106	PRCEH104	PRIH003	PRIH005	PRIH010
Nominal size	90CM	70CM	70CM	60CM	60CM	60CM	60CM	70CM	90CM	60CM	60CM	60CM	60CM	60CM	90CM
Colour	St/Steel	St/Steel	St/Steel	Black	St/Steel	St/Steel	Black Glass	Black Glass	Black Glass	St/Steel	Black Glass				
Controls	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary	Rotary	Touch	Rotary	Touch	Touch	Touch
Glass edge	_	_	-	_	_	_	Frameless	Frameless	Frameless	_	Frameless	Frameless	Frameless	Frameless	Frameless
Auto ignition (push and turn)	•	•	•	•	•	•	•	•	•	_	_	_	_	_	_
Flame failure device	•	•	•	•	•	•	•	•	•	_	_	_	_	_	_
Cast iron pan supports	•	•	_	_	_	•	•	•	•	_	_	_	_	_	_
Enamel pan supports	_	_	•	•	•	_	_	_	_	_	_	_	_	_	_
LPG conversion kit included	•	•	•	•	•	•	•	•	•	_	-	_	-	-	_
Controls	Front	Front	Front	Side	Side	Side	Front	Front	Front	Side	Side	Side	Front	Front	Front
No of burners / zones	5	5	5	4	4	4	4	5	5	4	4	4	4	4	5
Output - front left	1000W	1750W	1750W	2800W	2800W	2800W	3000W	1000W	1000W	1500W	1800W	1800W	2000W	2000W	1800W
Output - front right	1750W	1000W	1000W	1000W	1000W	1000W	1000W	1000W	1750W	2000W	1200W	1200W	1500W	1500W	1500W
Output - middle/far left	3800W	3800W	3800W	-	-	_	-	3300W	3800W	-	-	-	-	-	2200W
Output - back left	3000W	1750W	1750W	1750W	1750W	1750W	1750W	1750W	3000W	1500W	1200W	1200W	1500W	1500W	1500W
Output - back right	1750W	3000W	3000W	1750W	1750W	1750W	1750W	1750W	1750W	2000W	1800W	1800W	2000W	2000W	1800W
Auto safety / over temp shut off	_	_	_	_	_	_	-	_	_	_	•	•	•	•	•
Residual heat indicators	_	_	_	_	_	_	-	_	_	_	•	•	•	•	•
Child lock	_	_	_	_	_	_	-	_	_	_	•	•	•	•	•
Digital display	_	_	_	_	_	_	-	_	_	_	•	•	•	•	•
Electronic timer	-	_	_	-	_	_	-	_	_	_	_	_	•	•	•
Hob dimension (mm)	860 x 500	680 x 500	680 x 500	580 x 500	580 x 500	580 x 500	580 x 500	680 x 500	860 x 500	580 x 500	580 x 510	580 x 510	590 x 520	590 x 520	860 x 520
Cut out dimension (mm)	837 x 477	557 x 477	557 x 477	560 x 480	560 x 480	560 x 480	560 x 480	560 x 480	837 x 477	560 x 480	547 x 477	547 x 477	560 x 490	560 x 490	830 x 490
Cat out annonsion (mm)	03/X4//	33/X4//	33/X4//	300 X 400	J00 X 400	300 X 400	J00 X 400	300 X 400	03/X4//	300 X 400	J4/ X4//	J4/ X4//	300 X 470	JUU X 47U	030 X 470
Maximum connection rating	_	_	_	_	_	_	_	_	_	7kw	6.0kw	6.0kw	7kw	3kw	8.8kw

														ISLAND HOODS	
HOODS	VISOR	CANOPY	INTEGRATED	CHIN	INEY	CURVED GLA	SS CHIMNEY	FLAT GLASS CHIMNEY		ANGLED		DOWNDRAFT	вох	CURVED GLASS ISLAND	ISOLA QUADRA
	LIA804	PRCH700	PRCH550	PRCH020 (60CM) PRCH022 (70CM) PRCH024 (90CM)	PRCH021 (60CM) PRCH023 (90CM)	PRCGH008 (60CM) PRCGH010 (70CM) PRCGH012 (90CM) PRCGH202 (60CM)	PRCGH009 (60CM) PRCGH011 (70CM) PRCGH013 (90CM)	PRFH002 (60CM)	PRAE1002 <sup>©</sup> (60CM)  PRAE1004 <sup>©</sup> (70CM)  PRAE1006 <sup>©</sup> (90CM)	(60CM)	PRAE0030 <sup>€</sup>	PRDE0004 <sup>©</sup>	PRCH026 PRCH028 PRCH030	PRCGH100	LIA729
Nominal size	60cm	60cm	60cm	60/70/90cm	60/70/90cm	60/70/90cm	60/70/90cm	60cm	60/70/90cm	60/70/90cm	60cm	90cm	60/70/90cm	90cm	90cm
Colour	Silver	Grey	Grey	St/Steel	Black	St/Steel	Black	St/Steel	Glass/Steel	Black	Black/Steel	Glass/Steel	St/Steel	St/Steel	St/Steel
Controls	Slider	Slider	Slider	Push Button	Push Button	Push Button	Push Button	Push Button	T/Control	Push Button	T/Control	T/Control	T/Control	Push Button	Soft Touch
Speed levels	3	3	3	3	3	3	3	3	3	3	3	4	3	3	4
Extraction rate (m³/hr)	320	195	449	436	436	400	400	400	530	530	550	760	550	330	756
Noise (dB)	49	65	68	41	41	58	58	58	66	66	66	65	69	63	52
Filter (optional)	1xLIA200	1xLIA200	1xLIA200	1 x LIA210 (Pk of 2)	1 x LIA210 (Pk of 2	1 x PRF006	1xPRF006	1xPRF006	1xPRF006	1xPRF006	1xPRF006	1 x PRF008	1xPRF006	1xPRF006	2 x LIA201
Grease filters	Acrylic	Acrylic	Acrylic	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Outlet diameter	120mm	120mm	120mm	150mm	150mm	125mm	125mm	125mm	125mm	125mm	125mm	150mm	125mm	125mm	150mm
Bulbs	1 x 28W	1x2.8WLED	1x2.8WLED	2 x 2.8W LED	2 x 2.8W LED	1W LED	1W LED	1W LED	1W LED	1W LED	2 x 1W LED	2 x 1W LED	2 x 1W LED	2 x 1W LED	4 x 20W
Height (mm)	150	148	400	668-898	668-898	540-740	540 - 740	540 - 740	780 - 1080	780 - 1080	820 - 1120	300	450 - 750	650 - 1130	210 - 1075
Width (mm)	600	527	600	600/700/900	600/700/900	600/700/900	600/700/900	600	600/700/900	600/700/900	600	880	600/700/900	900	900
Depth (mm)	520	283	495	450	450	450	450	450	303	303	333	90	450	600	600
Chimney W x D (mm)	-	_	_	185 x 175	185 x 175	205 x 230	205 - 230	205 x 175	400 x 300	400 x 300	400 x 330	-	185 x 175	500 x 500	328 x 284
Other features				Chimney flue extension available		Chimney flue extension available			15 minute timer		White LED to match Prima Plus Ovens		Adjustable timer digital LED clock		15min Timer, Clean Air Function
											15 minute timer				
Prima ducting kit (optional)	PRDK125 or PRDK150	125	125	150	150	125	125	125	125	125	125	-	125	125	150

COOLING	BUILT-U	NDER INTE	GRATED	FULL HEIGHT INTEGRATED					
	PRRF100	PRRF102	LPR132A1	PRRF208	PRRF209	PRRF500	PRRF700 <sup>€</sup>	PRRF502	PRRF702
Nominal height	-	_	_	177cm	177cm	177cm	177cm	177cm	177cm
Larder fridge	•	_	_	•	_	-	-	_	-
Freezer	_	•	_	_	•	-	-	_	-
Fridge with ice box	-	_	•	_	_	-	_	_	_
Fridge freezer - frost free	-	_	_	_	_	•	•	_	_
Fridge freezer - static	-	_	_	_	_	_	_	•	•
Auto defrost fridge	•	_	•	•	_	•	•	•	•
Manual defrost freezer	-	•	•	_	•	_	_	•	•
Door fixing - door on door	•	•	•	_	_	_	_	_	_
Door fixing - slider	_	_	_	•	•	•	•	•	•
Reversible doors	•	•	•	•	•	•	•	•	•
Fridge capacity (Litres)	142	_	108	316	_	154	190	154	190
Freezer capacity (Litres)	_	102	20	_	226	78	56	90	70
Shelves	2	_	2	5	_	4	4	4	4
Fridge drawers/ Salad crispers	2	_	2	2	_	2	2	2	2
Freezer drawers	_	3	(Ice Box)	_	9	4	3	4	3
Energy rating	A+	A+	A+	A+	A+	A+	A+	A+	A+
Height (mm)	820-870	820-870	820-870	1770	1770	1773	1773	1773	1773
Width (mm)	596	596	596	540	540	555	555	540	540
Depth (mm)	550	550	550	540	540	540	540	545	545
Flame retardant metal back	•	•	•	•	•	•	•	•	•
Coolant - R600a	•	•	•	•	•	•	•	•	•
Climate Class	SN-ST	SN-ST	N-ST	N-ST	N-ST	SN-T	SN-T	SN-N	SN-N
Rated current (A)	1A	1A	1A	1A	1A	1A	1A	1A	1A

WINE COOLERS	BUILT-UNDER						
COOLLING	PRWC015	PRWC030	PRWC330				
Nominal Width	15cm	30cm	30cm				
Capacity (litres)	30	55	58				
No of bottles	_	15	18				
Compressor cooling	•	•	•				
Temp range °C	4-18	4-18	5-22				
Digital temperature display	•	•	•				
Wooden shelves	_	5	5				
Chrome shelves	5	_	_				
Noise level (dBA)	39	39	39				
Refrigerant (R600a)	•	•	•				
Climate class N	•	•	•				
Front & rear levelling feet	•	•	•				
Fitted 3 pin plug	•	•	•				
Rated current (A)	1A	1A	1A				

DISHWASHERS		FULLY INT	EGRATED	
	PRDW200	LPR661A	LPR659A	PRDW204 <sup>₽</sup>
Nominal width	60cm	60cm	45cm	60cm
Place settings	12	14	10	14
No of programs	4	7	6	7
Water usage (litres)	11	11	9	10
Noise level (dBA)	49	47	49	42
Normal wash	•	•	•	•
Intensive wash	•	•	•	•
Economy wash	•	•	•	•
Rapid wash	•	•	•	•
Glass		•	•	•
90 minutes		•	•	•
Auto program (load sensing)				•
Soak	•	_	_	•
Delay timer	1-24 hrs	1-24 hrs	1-24 hrs	1-24 hrs
Low salt display indicator	•	•	•	•
Low rinse aid display indicator	•	•	•	•
End of program display indicator	•	•	•	•
Anti flood	•	•	•	•
Top cutlery drawer	_	_	_	•
Standard cutlery basket	•	•	•	_
Height adjustable top basket	•	•	•	•
"In Operation" floor light	_	_	_	•


Energy rating	A++	A++	A++	A+++
Height (mm)	820-870	820-870	820-870	820-870
Width (mm)	596	595	445	595
Depth (mm)	550	540	540	540

Max rated power	2KW	2KW	2KW	2.1KW

LAUNDRY	TUMBLE DRYER	WASHING MACHINE	WASHER DRYER
	PRTD210	PRLD370	PRLD375
White	•	•	•
Fully integrated	•	•	•
Spin speed rpm (max)	_	1400	1400
Wash load (max kg)	_	7	8
Drying load (max kg)	7	_	6
Wash performance rating	_	А	Α
Spin efficiency rating	_	А	В
Energy-efficiency rating	С	A+++	Α
Hot & cold fill	_	Cold	Cold
Quick wash function	_	•	•
Height (mm)	865	825	825
Width (mm)	595	595	595
Depth (mm)	530	540	540
Voltage (V)	220-240	220-240	220-240
Connected load (w)	2700	2000	2000
Fuse required (amps)	13	13	13

# PRIMA+ **BUILT-IN SINGLE ELECTRIC FAN OVEN**

PRSO106/PRSO108/ PRSO110




# PRIMA+ **BUILT-IN COMPACT COMBINATION MICROWAVE, GRILL** & FAN OVEN




PRCM111

#### **PRIMA BUILT-IN SINGLE ELECTRIC FAN OVEN** PRSO102/PRSO104




# PRIMA+ **BUILT-IN DOUBLE ELECTRIC OVEN**

PRDO302




# PRIMA+ **BUILT-UNDER DOUBLE ELECTRIC OVEN**


PRDO304



# PRIMA+ 15CM **WARMING DRAWER** PRWD002




# **BUILT-IN 39CM MINI MICROWAVE**



PRIMA BUILT-IN STAINLESS STEEL FRAMELESS MICROWAVE AND GRILL LCTM251


PRIMA BUILT-IN STAINLESS STEEL FRAMED MICROWAVE AND GRILL LCTM25F



PRIMA BUILT-IN STAINLESS STEEL FRAMED **MICROWAVE** 

LCTM201 H382 x W594 x D345

PRIMA BUILT-IN **BLACK MICROWAVE** PRCM202 H384 x W595 x D336



PRIMA+ 60CM **GAS ON GLASS** HOB

PRGH212

PRIMA+ 70CM **GAS ON GLASS HOB** PRGH214

PRIMA+ 90CM **GAS ON GLASS** HOB PRGH216

PRIMA 60CM **STAINLESS STEEL GAS HOB** PRGH102/PRGH104


PRIMA 60CM **BLACK GAS HOB** 


**GAS HOB** PRGH112 PRGH114


PRIMA 70CM


**STAINLESS STEEL** 


PRIMA 90CM **STAINLESS STEEL GAS HOB** PRGH116
















# PRIMA 60CM **INDUCTION HOB**


PRIH003 PRIH005




PRIMA 90CM **ELECTRIC HOB** PRIH010



PRIMA 60CM **ELECTRIC HOB** PREH102




PRIMA 60CM **CERAMIC HOB** PRCEH104/PRCEH106





PRAE0030




PRIMA+ 90CM **DOWNDRAFT HOOD** PRDE0004




PRIMA+ 60/70/90CM **STAINLESS STEEL** /GLASS **ANGLED HOOD** 

PRAE1002/PRAE1004/ PRAE1006




PRIMA+ 60/70/90CM **ANGLED HOOD** 

PRAE0018/PRAE0020/ PRAE0022




PRIMA+ 60/70/90CM **BOX HOOD** 

PRCH026/PRCH028/ PRCH030




90CM **ISOLA QUADRA ISLAND HOOD** 

LIA729




**PRIMA 90CM STAINLESS STEEL CURVED GLASS ISLAND HOOD** 

PRCGH100




PRIMA 60CM **STAINLESS STEEL FLAT GLASS HOOD** 

PRFH002




PRIMA 60/70/90CM **STAINLESS STEEL CURVED GLASS CHIMNEY HOOD** 

PRCGH008/PRCGH010/ PRCGH012/PRCGH202



PRIMA 60/70/90CM **BLACK CURVED GLASS CHIMNEY HOOD** 


PRCGH009/PRCGH011 /PRCGH013



### PRIMA 60/70/90CM **STAINLESS STEEL CHIMNEY HOOD**


PRCH020/PRCH022/PRCH024

## ALSO AVAILABLE IN BLACK PRCH021/PRCH023




# **PRIMA GREY INTEGRATED HOOD**

PRCH550




#### PRIMA 60CM VISOR HOOD

LIA804 (SILVER)




# PRIMA 60CM **GREY CANOPY HOOD**

PRCH700




# PRIMA+ 50/50 **FROST FREE FRIDGE FREEZER**

PRRF500




PRIMA+ 70/30 **FROST FREE** FRIDGE FREEZER


PRRF700



**PRIMA 50/50 FRIDGE FREEZER** PRRF502



**PRIMA 70/30 FRIDGE FREEZER** PRRF702




PRIMA UNDER COUNTER LARDER FRIDGE

PRRF100

**PRIMA UNDER COUNTER** FRIDGE WITH ICE BOX LPR132A1










**PRIMA BUILT-IN** LARDER FRIDGE PRRF208

**PRIMA BUILT-IN** LARDER FREEZER

PRRF209









#### **PRIMA 150MM STAINLESS STEEL WINE COOLER** PRWC015

**PRIMA 300MM STAINLESS STEEL WINE COOLER** PRWC030/330







PRIMA+ 60CM **INTEGRATED DISHWASHER** PRDW204


PRIMA 60CM **INTEGRATED DISHWASHER** LPR661A


PRIMA 60CM **INTEGRATED DISHWASHER** PRDW200

**PRIMA 45CM INTEGRATED SLIMLINE DISHWASHER** LPR659A












**PRIMA INTEGRATED WASHING MACHINE** PRLD370













# PRIMA+ GRANITE **1.0 BOWL**

CPR310/CPR311/CPR312/ CPR313




# PRIMA+ GRANITE **1.5 BOWL**

CPR314/CPR315/CPR316/ CPR317




# **PRIMA+ GRANITE 1.0 BOWL UNDERMOUNT**

CPR350/CPR351/CPR352




# **PRIMA+ GRANITE** 1.5 BOWL UNDERMOUNT

CPR353/CPR354/CPR355




#### **PRIMA 1.0 BOWL COMPOSITE SINK**

BLACK - CPR304




### **PRIMA 1.5 BOWL COMPOSITE SINK BLACK**

BLACK - CPR305




#### **PRIMA BELFAST 1.0 BOWL SINK**

CPR402




# **PRIMA 1.0 BOWL** TRADITIONAL CERAMIC SINK

CPR403




#### **PRIMA 1.5 BOWL** TRADITIONAL CERAMIC SINK CPR404




#### PRIMA COMPACT STAINLESS STEEL 1 BOWL & TAP PACK

CPR001




## **PRIMA STAINLESS STEEL** 1 BOWL & TAP PACK

CPR002




#### **PRIMA STAINLESS STEEL** 1.5 BOWL & TAP PACK

CPR003




# **PRIMA** 1.0 BOWL SINK

CPR012




# **PRIMA** 1.5 BOWL SINK

CPR013




**PRIMA DEEP BOWL 1.0** 

CPR030




## **PRIMA DEEP BOWL 1.5**

CPR032



## **PRIMA UNDERMOUNT 1.5 BOWL SINK**

CPR501 - RIGHT HANDED CPR500 - LEFT HANDED




### **PRIMA 1.5 BOWL REVERSIBLE UNDERMOUNT** CPR506


460

# **PRIMA LARGE BOWL UNDERMOUNT SINK**

**CPR508** 



# PRIMA 1.5 BOWL **REVERSIBLE UNDERMOUNT**



# INTRODUCING primacare

Primacare is our aftersales care programme which ensures that your Prima and Prima+ products are working as they should.

Our Primacare team deliver a friendly and efficient service.

Below is an overview of our Primacare service, from registering your product for the extended parts guarantee, to what to do if your product experiences problems.

#### PRODUCT REGISTRATION

You can register by phone or easily online at http://Prima-Appliances.uk/Guarantee. By registering your product you can extend for free your standard guarantee to a 5 year parts & 2 year labour guarantee. If you do not register your product you will be entitled to the standard 1 year parts and labour guarantee only.

NB: to qualify for the full 5 year parts & 2 year labour guarantee you must register your product within 30 days of purchase.

#### **CONTACTING PRIMACARE**

For all Primacare enquiries please call our Primacare hotline on 0344 576 6841 or email care@Prima-Appliances.uk. Opening hours: Mon-Fri 8:00am - 6:00pm

Sat 8:30am - 2:00pm Sun 10:00am - 2:00pm

**CUSTOMER QUERIES** 

The Primacare team are available to give you advice on operating our products and their specifications.

#### IF YOU EXPERIENCE A PROBLEM WITH YOUR PRIMA OR PRIMA+ PRODUCT

Please call the Primacare hotline on 0344 576 6841 and a Primacare advisor will check your product registration details, log the fault on our Primacare system and if possible will attempt to resolve any operational or installation issues on the phone.

If we are unable to resolve your issue over the phone we will arrange for a Primacare engineer to contact you for a home visit at your convenience.

#### **ENGINEERS VISIT / SPARES**


One of our trained service engineers will arrange a suitable appointment with you and attempt to fix your appliance on the first visit, however in the event that additional parts are required he/she will arrange a new appointment to install the new parts at a later date.

#### **ESCALATION PROCESS**


If you are not satisfied with any part of the repair process we recommend that you contact the Primacare hotline as soon as possible and we will escalate your problem to our Prima Escalation Management Team.

#### **PRODUCT REPLACEMENT**

If we are unable to repair your appliance for any reason we reserve the right to offer you a replacement item to the same specification. If the replaced item is unavailable we reserve the right to offer a suitable alternative of similar specification. Original guarantee dates still apply in the event of a replacement. Terms & conditions apply.







# prima care


If you experience any problems with your appliance please contact our dedicated service line on:

03445766841

UK Call Centre open 7 days a week: Mon-Fri 8:00am - 6:00pm Sat 8:30am - 2:00pm Sun 10:00am - 2:00pm

or you can visit our website:

http://Prima-Appliances.uk/Guarantee





# prima

The Smarter Choice™



www.Prima-Appliances.uk

#### Retail Outlet:

For your nearest stockist: Freephone: 0800 8 77 88 9

Due to our policy of continuous improvement, we reserve the right to amend specifications, designs or colours without prior notice.

The colours and finishes shown in this brochure are as accurate as possible within limits of the printing process.

Whilst every effort is made to ensure the accuracy of information supplied, Prima will not be held responsible for any errors or omissions.