

**Raindance Rainmaker**  
**Overhead shower 680/460 3jet with lighting**  
 Surfaces: **chrome** Art. no. : **28418000**



### Description

**product features**

- Shower head size: 680 x 460 mm
- Spray pattern: RainAir, Whirl, RainAir XL
- flow rate RainAir 20 l/min at 3 bar
- flow rate RainAir XXL 24 l/min at 3 bar
- flow rate WhirlAir 22 l/min at 3 bar
- Operating pressure: min. 3 bar/max. 10 bar
- the 3 spray zones must be controlled via 3 valves or a diverter valve with 3 outlets
- Spray face: metal
- Installation: installation type: flush with the ceiling on basic body
- with integrated lighting
- Illuminant: LED
- Power supply: 12 V - DC
- Transformer power supply for concealed installation 12 V, 18 W
- Input voltage: 100 - 240 V AC / 50/60 Hz
- Output voltage: 12 V - DC
- Colour temperature: 2700 K
- energy efficiency label: C
- this product requires a highflow thermostat #15760000
- WRAS 1907029

### Article Details

Price excl. VAT

£ 4,766.67


### Technology




### Certificates



### Product image




### Scale drawing



**Raindance Rainmaker**  
**Overhead shower 680/460 3jet with lighting**  
 Surfaces: **chrome** Art. no. : **28418000**



**Flowchart**



The consumption was measured in combination with the appropriate fittings (thermostat/mixer/in-wall valve) to reflect actual application in practice.

**Raindance Rainmaker**  
**Overhead shower 680/460 3jet with lighting**  
 Surfaces: **chrome** Art. no. : **28418000**



Installation examples

