

Talis M54

Single lever kitchen mixer 270, single spray mode
 Finish: **Stainless Steel Finish** Art. no. : **72840800**



Description

product features

- ComfortZone 270 provides space for greater freedom of movement
- L-spout
- Swivel spout adjustable in 4 steps 60°, 110°, 150° or 360°
- laminar spray
- Maximum flow rate (at 3 bar): 8.4 l/min
- Operating pressure: min. 1 bar/max. 10 bar
- ceramic cartridge
- 3/8" hose connections
- tap hole with Ø 35 mm required
- WRAS 2307036
- WRAS 2307036 - Approval letter 2307036

Article Details

Price excl. VAT

£ 252.40

Technology



Design awards



reddot winner 2020




Certificates / Sustainability



Product image




Scale drawing



Talis M54
Single lever kitchen mixer 270, single spray mode
 Finish: **Stainless Steel Finish** Art. no. : **72840800**



Flowchart



Talis M54


Single lever kitchen mixer 270, single spray mode

Finish: **Stainless Steel Finish** Art. no. : **72840800**



Exploded Drawing

Year of production: >12/19



Talis M54

Single lever kitchen mixer 270, single spray mode

Finish: **Stainless Steel Finish** Art. no. : **72840800**



Spare part list

Year of production: >12/19

Pos.	Description	Art. no.	Price	PU
1	spout cpl.	93758800	-	1
2	screw	97662000	-	1
3	spray former	93748000	-	1
4	service tool	93750000	-	1
5	O-Ring 14x2,5	98189000	-	1
6	axialring	97558000	-	1
7	handle	93736800	-	1
8	hollow set screw M5x5	98446000	-	1
9	screw cover	93735610	-	1
10	flange	93737800	-	1
11	nut	93738000	-	1
12	cartridge, assy	93760000	-	1
13	O-ring 36x3	98052000	-	1
14	support	97523000	-	1
15	fixing set (Ø 34)	95049000	-	1
16	lever collar	97548000	-	1
17	connection hose 900 mm M8x0,75 G3/8	93746000	-	1
18	O-ring 6,6x1,6	93019000	-	1