



A8 INFOLD DOOR
PRODUCT DATA SHEETS

A8 INFOLD DOOR

760mm Wide

Product Code A8SHOWER24

Features

- 1900mm in height
- 8mm toughened safety glass
- Concealed fixings
- Protective coating applied for easy cleaning
- Lifetime guarantee
- Large adjustment for out of true walls and easy installation
- Unique mechanism that maximises opening width
- 710 - 750mm adjustment

Product Certification




- Finish: Silver Anodize per EN12373-1
- Glass: Toughened to EN12150-1
- Rails: Aluminium Alloy 6063

Dimensions (measurements in mm)

| Size | A | B |
|------|-------|-------|
| 760 | 530mm | 295mm |
| 800 | 575mm | 315mm |
| 900 | 675mm | 365mm |

A Door opening

B Protrusion into room



Whilst we endeavour to ensure that the product information is accurate we accept no liability for any information given. All images are for illustration purposes only. Product images and specifications are subject to change. Measurements are in millimetres and are nominal.

A8 INFOLD DOOR

800mm Wide

Product Code A8SHOWER25

Features

- 1900mm in height
- 8mm toughened safety glass
- Concealed fixings
- Protective coating applied for easy cleaning
- Lifetime guarantee
- Large adjustment for out of true walls and easy installation
- Unique mechanism that maximises opening width
- 750 - 790mm adjustment

Product Certification




- Finish: Silver Anodize per EN12373-1
- Glass: Toughened to EN12150-1
- Rails: Aluminium Alloy 6063

Dimensions (measurements in mm)

| Size | A | B |
|------|-------|-------|
| 760 | 530mm | 295mm |
| 800 | 575mm | 315mm |
| 900 | 675mm | 365mm |

A Door opening

B Protrusion into room



A8 INFOLD DOOR

900mm Wide

Product Code A8SHOWER26

Features

- 1900mm in height
- 8mm toughened safety glass
- Concealed fixings
- Protective coating applied for easy cleaning
- Lifetime guarantee
- Large adjustment for out of true walls and easy installation
- Unique mechanism that maximises opening width
- 850 - 890mm adjustment

Product Certification

- Finish: Silver Anodize per EN12373-1
- Glass: Toughened to EN12150-1
- Rails: Aluminium Alloy 6063

Dimensions (measurements in mm)

| Size | A | B |
|------|-------|-------|
| 760 | 530mm | 295mm |
| 800 | 575mm | 315mm |
| 900 | 675mm | 365mm |

A Door opening

B Protrusion into room

